Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



DIBRARY

BECHIVED

今FEB 20 15 日本

PRINCETON NURSERIES

WM. FLEMER'S SONS, INC.



1940
SPRING
PRICE LIST
WHOLESALE

PRINCETON, N. J. 1776

TO THE TRADE

Please Note:

This wholesale price list contains only varieties and sizes which we have in quantity and which are most commonly used by the wholesale trade.

Our retail catalogue contains our complete list of material and includes many rare and unusual items not listed in this book. Retail catalogue will be gladly mailed on request.

We specialize in material wanted for both Private and Public Landscape Work. Our inventory includes not only specimen stock but large quantities of material for massing and screening. We suggest that you send us complete lists on which we are prepared to quote attractive prices because of our comprehensive inventory and large scale production.

PRINCETON NURSERIES
Telephone
Princeton 1776

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

TERMS: Prices listed are F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

2% DISCOUNT

will be allowed

for payment in ten days from date of invoice or FIVE PER CENT FOR CASH IN FULL WITH ORDER

Orders for shipment C.O.D. must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

Notes in Explanation of Catalogue


The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

EXTRA CHARGE FOR BALLING

We recommend that all varieties marked with an asterisk (*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.



PRINCETON NURSERY OFFICE

SCHEDULE OF B & B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

SHRUBS AND SMALL TREES

SHITCHS AND SHIA	.1.1. 1.1.		
		10 rate	100 rate
	Each	5 to 24	25 or more
10 in. diam 18/24 in	.30	.25	.20
12 in. diam. 2/3 ft	.40	.35	.30
13 in. diam. 3/4 ft	.70	.60	.50
15 in. diam. 4/5 ft	.95	.85	.75
16 in. diam. 5/6 ft	1.20	1.10	1.00
18 in. diam. 6/8 ft	1.80	1.65	1.50
21 in. diam. 8/10 ft	3.00	2.75	2.50
TREES			
		10 rate	100 rate
	Each	5 to 24	25 or more
15 in. diam. 1 in. cal	1.20	1.10	1.00
18 in. diam. 1¼ in. cal	1.65	1.40	
20 in. diam. 1½ in. cal	2.25	2.00	1.75
22 in. diam. 13/4 in. cal	2.75	2.50	2.25
24 in. diam. 2 in. cal	3.75	3.35	3.00
28 in. diam. 2½ in. cal	5.00	4.50	4.00
32 in. diam. 3 in. cal	6.50	6.00	5.50
36 in. diam. 3½ in. cal	9.00	8.25	7.50
40 in. diam. 4 in. cal	11.50	10.75	10.00
44 in. diam. 4½ in. cal	15.00	14.00	13.00
48 in. diam. 5 in. cal	20.00	18.50	17.00
54 in. diam.	26.00	24.00	22.00
60 in. diam	34.00	32.00	30.00

For plants that do not require the same care in digging and balling or which are easily moved and can be dug by lifting out a ball of earth and tying up, in burlap, the charges for such balling can be reduced to the following schedule:

10 in. diam. 18/24 in. shrubs	.20	.15	.10
12 in diam. 2/3 ft. shrubs	.25	.20	.15
13 in. diam. 3/4 ft. shrubs	.35	.30	.25
15 in. diam. 4/5 ft. shrubs	.60	.50	.49
16 in. diam. 5/6 ft. shrubs	.95	.85	.75
18 in. diam. 6/8 ft. shrubs	1.65	1.40	1.25

Platforms are in addition to above prices, the cost of platforms to be rebated, providing customers return them at their own expense.

SCHEDULE OF TRUCK DELIVERY CHARGES

VALUE GF ORDER	zone 1 1 to 25 mi.	25 to	50 to	75 to	zone 5 100 to 125 mi.	125 to	150 to
\$1000 or more \$500 to \$1000 \$200 to \$ 500 \$100 to \$ 200 Less than \$100	FREE FREE 3%	5%	9%	8% 13%	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

Boxing Charges

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	.75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.70	2.50	2.75	3.25	3.50	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

CARLOADS

We have our own railroad siding and are equipped to load and forward carload lots to all points.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

	Unit I	Price in Qua 5-24	
ABELIA grandiflora, 3'-4'		Glossy	Abelia
15 to 18 in., 6 in. pots	.52	.45	
18 to 24 in., 6 and 7 in. pots	.60	.50	
2 to 3 ft., 6 and 7 in. pots	.75	.60	
z to b it., o and / m. pots	., 5	.00	
ADIDO sanala. MALON		7771.	:4 - T7!
ABIES concolor, 70'-80'			ite Fir
18 to 24 in., B. & B.	.75	.60	.50
2 to 2½ ft., B. & B	1.10	.95	
2½ to 3 ft., B. & B.	1.50	1.25	
3 to 4 ft., B. & B	2.25	1.90	
4 to 5 ft., B. & B	3.40	2.80	
5 to 6 ft., B. & B.	4.50	3.75	3.00
6 to 8 ft., B. & B			
Larger specimens to 14 ft. @ 1.5	0 per	ft.	
— firma, 60'-75'		Mo	me Fir
2 to 2½ ft., B. & B	1.20	1.00	
	1.75	1.50	
	2.40	2.00	
4 to 5 ft., B. & B.		3.00	-
— fraseri, 50'-60'		Fra	ser Fir
18 to 24 in., B. & B	.60	.50	
2 to 2½ ft., B. & B	1.20	1.00	
2½ to 3 ft., B. & B	1.75	1.50	
3 to 4 ft., B. & B	2.40	2.00	
4 to 5 ft., B. & B	2.90	2.40	
7 to 3 ft., D. & D	2.70	2.10	
— nordmanniana, 80'-100'		Nordma	
15 to 18 in., B. & B		1.00	
18 to 24 in., B. & B	1.80		
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B		3.00	2.50
		• • • • • • • • • • • • • • • • • • • •	
— douglasi (See PSEUDOTSUGA	doug		4
— pectinata, 50'-60'			ver Fir
18 to 24 in., B. & B.			
2 to 3 ft., B. & B	1.25	1.00	
3 to 4 ft., B. & B	1.75		
Spruce (See PICEA)			
— veitchi,		Vei	tch Fir
18 to 24 in., B. & B	.90	.75	
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
ACANTHOPANAX pentaphylum,		Fiveleaf	
18 to 24 in	.20		.14
2 to 3 ft	.27	.22	
3 to 4 ft	.37		
4 to 5 ft	.45	.37	.30
ACER campestre, 25'-30'		Hadaa	Maple
	1 50		
5 to 6 ft		1.25	1.00
6 to 8 ft	2.60		1.75
8 to 10 ft	3.75		2.50
10 to 12 ft	5.25	4.40	3.50
12 to 14 ft	6.00	5.00	

ACER—continued	Unit P	rice in Qua 5-24	
— dasycarpum, 60'-80'		Silver	Maple
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.00	.80	.65
8 to 10 ft.—1½ to 1½ in	1.20	1.00	.80
10 to 12 ft.—1½ to 1¾ in		1.25	1.00
10 to 12 ft.—13/4 to 2 in		1.50	1.25
12 to 13 ft.—2 to 2½ in		2.20	
13 to 14 ft.—2½ to 3 in		2.80	
14 to 16 ft.—3 to 3½ in			
14 to 16 ft.—3½ to 4 in		4.75	
14 to 10 it. 3/2 to 1 iii	3.00	1.75	00
—pyramidale, 75'	yramid	lal Silver	Maple
12 to 14 ft.—2½ to 3 in	3.30	2.75	
14 to 16 ft.—3 to 3½ in	4.50	3.75	
14 to 16 ft.—3½ to 4 in		5.00	
			Manla
—wieri, 60'-80'		r Cutleaf	mapie
8 to 10 ft.—1½ to 1½ in	1.50	1.20	
10 to 12 ft.—1½ to 1¾ in		1.60	
11 to 12 ft.—134 to 2 in			
12 to 13 ft.—2 to 2½ in	3.00		1
13 to 14 ft.— $2\frac{1}{2}$ to 3 in	3.75		
14 to 16 ft.—3 to $3\frac{1}{2}$ in	4.50	3.75	
— ginnala, 10'-12'		Amur	Maple
3 to 4 ft	45	.37	.30
		.60	
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50		1.00
6 to 8 ft	1 00		4 4
8 to 10 ft	1.90	1.50	1.20
— negundo 60'		Во	xelder
8 to 10 ft	.60	.50	
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in		.65	
10 to 12 ft.—1½ to 1¾ in		.90	-
10 to 12 ft.—13/4 to 2 in		2	
12 to 14 ft.—2 to 2½ in		1.75	
	. 01		
— palmatum atropurpurem, 6		Japanese	Manle
	-		
12 to 15 in., B. & B		.55	.50
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B.	1.50		1.00
2 to 2½ ft., B. & B	2.25		1.50
2½ to 3 ft., B. & B		2.50	
3 to 4 ft., B. & B	4.50		
4 to 5 ft., B. & B	6.75	5.50	4.50
dissectum, 4'-6' Pur	ple Cu	tleaf Jap.	Maple
12 to 15 in., B. & B	4 00	1 No.	
15 to 18 in., B. & B	4 00	1.50	
18 to 24 in., B. & B			
2 to 2½ ft. B. &. B			
			Manle
18 to 24 in., B. & B		1.50	1.25
2 to 2½ ft., B. &. B		2.20	1.75
2½ to 3 ft., B. &.B		2.50	2.00
3 to 4 ft., B. & B	. 4.50	3.75	3.00

ACED Continued	Unit Pr	ice in Quar	tities
ACER—Continued	1-4	5-24	25-249
— — novum, 6'-8'			
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	1.90	1.50	1.25
2 to 2½ ft., B. & B	2.60	2.20	1.75
2½ to 3 ft., B. & B	3.50	2.75	2.25
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B	6.00	5.00	4.00
at of	~		
— — crispum, 6'-8'	Cres	sted Jap.	Maple
18 to 24 in	1.50	1.25	1.00
2 to 3 ft	2.60	2.20	1.75
3 to 4 ft	3.75	3.00	2.50
4 to 5 ft	5.25	4.40	3.50
nonnavlvonioum (atviotum)	0/ 90/	Ctuined	361-
— pennsylvanicum (striatum), 2		Striped	Mapie
4 to 5 ft	.95	.75	1 -
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.65	1.35	
8 to 10 ft		2.00	
10 to 12 ft	3.75	3.00	



Acer platinoides

ACER—continued	Unit P	rice in Qua	ntities
ACEN—continued	1-4	5-24	25-249
— platanoides, 50'-75'		Norway	Maple
8 to 10 ft	1.90	1.50	1.25
8 to 10 ft., 1½ to 1½ in	2.25	1.90	
10 to 11 ft., 1½ to 1¾ in	2.60 3.00	2.20 2.50	1.75 2.00
10 to 12 ft., 13/4 to 2 in	3.75	3.00	2.50
12 to 14 ft., 2½ to ½½ in		3.75	3.00
13 to 15 ft., 2½ to 3 in	5.25	4.40	3.50
14 to 16 ft., 3 to 3½ in			
16 to 18 ft., 3½ to 4 in	6.75	5. 50	4.50
— — schwedleri, 40'-60'	S	chwedler	Maple
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	2.00
10 to 11 ft.—1½ to 1¾ in	3.75 4.50	3.00 3.75	2.50 3.00
10 to 12 ft.—1¾ to 2 in	5.25	4.40	3.50
14 to 16 ft.—2½ to 3 in			4.50
— rubrum, 50'-75'	Red o	r Scarlet	Maple
6 to 8 ft		1.25	1.00
8 to 10 ft		1.90	1.50
10 to 12 ft., 1½ to 1¾ in			2.25
10 to 12 ft., 13/4 to 2 in	5.50		
12 to 14 ft., 2½ to ½ in			
14 to 16 ft., 2½ to 3 in	8.00	6.50	
— saccharum, 50'-75'		Sugar	Maple
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.90		
10 to 11 ft., 1½ to 1½ in	2.25		1.50 2.00
11 to 12 ft., 1½ to 1¾ in			2.50
12 to 14 ft., 2 to 2½ in			3.00
12 to 14 ft., 2½ to 2½ in	5.25		3.50
14 to 16 ft., 2½ to 3 in	6.00	5.00	4.00
— spicatum, 20'-30'		Mountain	_
2 to 3 ft 3 to 4 ft	.60	.75	.60
4 to 5 ft.			
ACTINIDA arguta, 20'-30'		Bower Ac	tinidia
2 year	• •	.25	
3 year		.30	
AESCULUS hippocastanum, 60'-8	80′	Horsech	estnut
3 to 4 ft			.50
4 to 5 ft		.80 1.2 5	
5 to 6 ft. 6 to 8 ft.			
8 to 10 ft.			
AILANTHUS glandulosa, 50'60'		Tree of I	Heaven
5 to 6 ft		.75	
6 to 8 ft		1.00	
8 to 10 ft			
AKEBIA quinata, 15'-20'		Fiveleaf 2	Akebia
2 yr	.22		.15
		0	1.0

		Price in Quar	
	1-4	5-24	25-249
ALNUS glutinosa, 70'-80'		European	\mathbf{Alder}
2 to 3 ft	.40	.30	
3 to 4 ft	.50		
	.03	.50	
— rugosa, 10'		Hazel	Alder
2 to 3 ît	.42	.35	
3 to 4 ft	.52	.45	
4 10 3 11	./3	.60	
AMELANCHIER canadensis			
(botryapium), 20'-30'	Ι	Downy Sha	dblow
18 to 24 in	.37	.30	.25
2 to 3 ft	.60		.40
3 to 4 ft	.75		.50
AMORPHA fruticosa, 8'-10'		T 31	
	20		obush
2 to 3 ft	.20	.18	.14
4 to 5 ft	.37	.22 .30	.18
5 to 6 ft	.45	.37	.30
6 to 8 ft	.60	.50	.40
AMPELODGIC between house of o	01		
AMPELOPSIS heterophylla 25'-3		lain Amno	longia
2 year	.37	lain Ampe .30	.25
— humulifolia, 25'-30'		Hop Ampe	
2 year	.37		
	.45	.37	.30
— quinquefolia, 30'-50'	7	Virginia Cr	eeper
1 year		.07	
2 year	.15	_	
3 year	.25	.20	.15
- quinquefolia engelmanni, 30'-46	0'		
		elmann Cr	eeper
1 year	_	.07	_
2 year		.13	
3 year	.25	.20	.15
- triougnidate (voitabi) 40/ E0/		Doote	m Teer
- tricuspidata (veitchi), 40'-50'	٥٢		n Ivy
1 year, 12 to 18 in	.25	.20 .30	.15
3 year, 2 to 3 ft	.52	.45	.35
	ō		•••
AMYGDALUS nana (See Prunus	glan	dulosa)	
— persica alba Double Wh	ite F	lowering :	Peach
—— rosea Double Pi	nk F	lowering 1	Peach
—— Clara Meyer Double Pi		_	
		lowering 1	
2 to 3 ft			
3 to 4 ft	.57	.30 .45	.25
			.00
ANDROMEDA arborea (See OXYI	END	PRUM)	
catesbaei (See LEUCOTHOE)			

japonica (See PIERIS)

		rice in Qua	
ARALIA pentaphyllum (See ACA	1-4 . NTH O		25-2 4 9
ARALIA spinosa, 18'-20'		Hercule	
2 to 3 ft	.30	.25	
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
ARCTOSTAPHYLOS uva-ursi		Bea	rberry
2 year pots	.30	.25	.20
ARONIA arbutifolia, 6'-8'	F	Red Chok	eberry
12 to 18 in		.12	
18 to 24 in		.21	
2 to 3 ft	.37	.30	.25
— brilliantissima, 6'-8' Bril			
12 to 18 in		.12	.10
18 to 24 in		.21 .30	.17
— atropurpurea, 6'-8'		ple Chok	
12 to 18 in		.12	.10
3 to 4 ft	.60		
4 to 5 ft	.75		
5 to 6 ft	1.00	.80	65
— melanocarpa (nigra), 8'-10'	Bla	ack Chok	eberry
12 to 18 in	.15	.12	.10
18 to 24 in	.25		
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
AZALEAS			
AZALEA amoena, 3'-4'		Amoena.	Azalea
9 to 12 in., B. & B	.60	.50	.40
12 to 15 in., B. & B	.80 1.10	.65	.50 .75
15 to 18 in., B. & B	1.50		
	1.90		
2½ to 3 ft., B. &. B	2.60	2.20	1.75
— arborescens 10'-12'		Sweet	Azalea
15 to 18 in., B. & B			
	1.90 2.50		
2 to 2½ ft., B. & B	2.30	Flame	A 70100
	1.50	1.25	
15 to 18 in., B. & B	2.25		1.50
2 to 2½ ft., B. & B	3.00		2.00
2½ to 3 ft., B. & B	3.75		
3 to 4 ft., B. & B	5.25	4.40	3.50
— Hizodegiri, 3'-4'		nodegiri .	
8 to 10 in., B. & B	.60	.50 .75	
10 to 12 in., B. & B	911		
		1 10	
, — — — — — — — — — — — — — — — — — — —		1.10 1.50	
,	1.35 1.90	1.50	1.25
15 to 18 in., B. & B. 18 to 24 in., B. & B. — kaempferi, 4'-5'	1.35 1.90 2.25	1.50 1.90 Torch 4	1.25 1.50 Azalea
15 to 18 in., B. & B. 18 to 24 in., B. & B. 	1.35 1.90 2.25	1.50 1.90 Torch 2	1.25 1.50 Azalea .60
15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.35 1.90 2.25 .90 1.25	1.50 1.90 Torch 4 .75 1.00	1.25 1.50 Azalea .60 .80
15 to 18 in., B. & B. 18 to 24 in., B. & B. 	1.35 1.90 2.25	1.50 1.90 Torch 2	1.25 1.50 Azalea .60

Unit Price in Quantities
1-4 5-24 25-249

		rice in Quar	
ATTAI INA TTAINEDUNDY	1-4		25-2 4 9
AZALEA KAEMPFERI Carmen—Rose-pink flowers.	HYB	SKIDS	
_			
Cleopatra—Lilac-rose flowers.			
Fedora—Salmon-rose flowers.			
Louise—Light-rose flowers.			
Othello—Brick-red flowers.			
15 to 18 in., B. & B.	1.35	1.10	.90
18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	2.25 2.60	2.20	1.50 1.75
ledifolia alba, 4'-6', large sing	le wh	ite flowe	$\mathbf{r}_{\mathbf{S}}$,
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.90	1.50	
18 to 24 in., B. & B			2.25
——————————————————————————————————————	0.10	2. 00	2.20
12 to 15 in., B. & B	1 20	1.00	
15 to 18 in., B. & B			
18 to 24 in., B. & B			
— macrantha, 2½'-3'.	Red	Salmon A	Azalea
12 to 15 in B. & B			
15 to 18 in., B. & B	2.25	1.90	1.50
KURUME AZALI	EAS		
Benigeri—Brick-red flowers, 9 to			
Flame—Brilliant red flowers,	10 18	in.; 18 to	24 III.
15 to 18 in.; 18 to 24 in.; 2 t	0 21/2	ft.; 2½ t	o 3 ft.
Hatsugiri—Bright purple flowers,		n + 15 to	10 in
9 to 12 in.; 12 to Pink Beauty—Single soft-pink flow		n., 15 to	18 111.
9 to 12 in.; 12 t		n.; 15 to	18 in.
Pink Pearl—Salmon-rose flowers, 9 to 12 in.; 12 to 15 in.; 15 to	10	in · 18 to	24 in
Salmon Beauty—Large salmon-pi			2 T III.
		n.; 12 to	15 in.
9 to 12 in., B. & B	.60	.50	
12 to 15 in., B. & B	.90 1.60		
15 to 18 in., B. & B		1.60	
2 to 2½ ft., B. & B	2.40		
2½ to 3 ft., B. & B	3.20		
- snow, large double white flow	ers, .90	.75	
9 to 12 in., B. & B		1.00	
15 to 18 in., B. & B		1.25	
— mollis, 4'-6'		Chinese.	
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50 2.25	1.25 1.90	1.00
— nudiflora, 6'-8'		Pinxter	
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	1.90		
2 to 2½ ft., B. & B	2.60	2.20 3.00	1.75 2.50
2½ to 3 ft., B. & B	4.50	3.75	3.00
, , , , , , , , , , , , , , , , , , , ,			

AZALEA—continued	Unit Pr	ice in Qua	ntities
	1-4	_	25-249
— poukhanensis, 1'-3'		Korean	
12 to 15 in., B. & B	1.50 1.90	1.25 1.50	
15 to 18 in., B. & B		2.20	
2 to 2½ in., B. & B	3.75	3.00	2.50
— rosea, 6'-8'	Down	y Pinxte	rbloom
15 to 18 in., B. & B	1.50	1.20	
18 to 24 in., B. & B	2.00 2.70	1.70 2.25	
2 to 2½ ft., B. & B	2.70		Azalea
12 to 15 in., B. & B	1.90	1.50	1.25
15 to 18 in., B. & B	2.50		1.65
18 to 24 in., B. & B.	3.00	2.50 inkshell	2.00 Azalea
— vaseyi, 5'-6'		1.80	
18 to 24 in., B. & B 2 to 2½ ft., B. & B		2.25	
2½ to 3 ft., B. & B	3.30	2.75	
3 to 3½ ft., B. & B	4.10	3.50	
— viscosa, 4'-5'	0.10		Azalea
2 to 2½ ft., B. & B		1.75 2.00	
2½ to 3 ft., B. & B		odogawa	a Azalea
12 to 15 in., B. & B		.95	.75
15 to 18 in., B. & B	1.50		
18 to 24 in., B. & B	1.90		
2 to 2½ ft., B. & B		1.90 2.20	1.75
2½ to 3 ft., B. & B	2.00	2.20	
DACCHARIC balimifolio 0'-10'		Ground	iselbush
BACCHARIS halimifolia, 9'-10'	30		dselbush
18 to 24 in		Ground .25	.20
	37	.25 .30 .37	.20 .25 .30
18 to 24 in	45	.25 .30	.20 .25 .30
18 to 24 in	37 45 60	.25 .30 .37 .50	.20 .25 .30 .40
18 to 24 in	37 45 60	.25 .30 .37 .50 zoin), 1	.20 .25 .30 .40 0'-12' picebush
18 to 24 in	37 45 60 A benz	.25 .30 .37 .50 zoin), 1 Si	.20 .25 .30 .40 .40 .15
18 to 24 in	37 45 60 A benz 22 30	.25 .30 .37 .50 zoin), 1 S; .20 .25	.20 .25 .30 .40 .40 .15 .20 .30
18 to 24 in	37 45 60 A benz 22 30 45 60	.25 .30 .37 .50 zoin), 1 .20 .25 .37	.20 .25 .30 .40 .40 .15 .20 .30 .40
18 to 24 in	37 45 60 A benz 22 30 45 60 75	.25 .30 .37 .50 zoin), 1 Si .20 .25 .37 .50	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft	37 45 60 A benz 22 30 45 60 75 1.10	.25 .30 .37 .50 zoin), 1 S; .20 .25 .37 .50	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. BENZOIN aestivale (LINDERA 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—HARDY EVE	37 45 60 A benz 22 30 45 60 75 1.10	.25 .30 .37 .50 zoin), 1 S; .20 .25 .37 .50	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE	.25 .30 .37 .50 zoin), 1 .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B.	37 .45 60 A benz 22 30 45 60 75 110 ERGRE	.25 .30 .37 .50 zoin), 1 S; .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B 12 to 15 in., B. & B	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE	.25 .30 .37 .50 zoin), 1 Si .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75 PES
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B 12 to 15 in., B. & B 15 to 18 in., B. & B	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE	.25 .30 .37 .50 zoin), 1 Si .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75 PES
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B 12 to 15 in., B. & B 15 to 18 in., B. & B — julianae	37 45 60 A benz 22 30 45 60 75 1.10 RGRE 50 75 1.00	.25 .30 .37 .50 zoin), 1 Sy .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75 PES
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B 12 to 15 in., B. & B 15 to 18 in., B. & B — julianae 9 to 12 in., B. & B — julianae 9 to 12 in., B. & B	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE 50 75 1.00	.25 .30 .37 .50 zoin), 1 Si .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .12' picebush .15 .20 .30 .40 .50 .75 PES
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B 12 to 15 in., B. & B 15 to 18 in., B. & B 12 to 15 in., B. & B 15 to 18 in., B. & B	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE 50 75 1.00	.25 .30 .37 .50 zoin), 1 Sy .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .12' picebush .15 .20 .30 .40 .50 .75 PES
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft BENZOIN aestivale (LINDERA 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft BERBERIS—HARDY EVE — gagnepaini 9 to 12 in., B. & B 12 to 15 in., B. & B - julianae 9 to 12 in., B. & B 12 to 15 in., B. & B 13 to 15 in., B. & B 14 to 15 in., B. & B 15 to 18 in., B. & B 15 to 18 in., B. & B 15 to 18 in., B. & B 16 to 18 in., B. & B 17 to 18 in., B. & B 18 to 18 in., B. & B 19 to 19 in., B. & B 19 to 19 in., B. & B	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE 50 75 1.00	.25 .30 .37 .50 zoin), 1 Sy .20 .25 .37 .50 .60 .95	.20 .25 .30 .40 .40 .12' picebush .15 .20 .30 .40 .50 .75 PES
18 to 24 in	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE 50 75 1.00	.25 .30 .37 .50 zoin), 1 S; .20 .25 .37 .50 .60 .95 EEN TY	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75 .75 .25 .50 .75
18 to 24 in	37 45 60 A benz 22 30 45 60 75 1.10 ERGRE 50 75 1.00	.25 .30 .37 .50 zoin), 1 Sy .20 .25 .37 .50 .60 .95 EEN TY	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75 .75 .50 .75 .50 .75 .50 .75 .50 .75
18 to 24 in		.25 .30 .37 .50 zoin), 1 Si .20 .25 .37 .50 .60 .95 .80 .80 .30 .60 .95	.20 .25 .30 .40 .40 .12' picebush .15 .20 .30 .40 .50 .75 .75 .75 .50 .75 .50 .75 .50 .75 .50 .75
18 to 24 in	374560 A benz2230456075110 CRGRE50751.1037751.1037751.10	.25 .30 .37 .50 zoin), 1 S; .20 .25 .37 .50 .60 .95 EEN TY	.20 .25 .30 .40 .40 .15 .20 .30 .40 .50 .75 .75 .75 .50 .75 .50 .75 .50 .75 .75

BERBERIS—continued	Unit 1-4	Price in Qua	antities 25-249
— verruculosa	104		
6 to 9 in	50	Warty B	arberry
9 to 12 in	50		
12 to 15 in.	75 . 1.00		
		•••	
BERBERIS—DECIDU	ous 1	YPES	
BERBERIS thunbergii, 4'-5'	Ja	panese Ba	arberry
9 to 12 in.	05	.04	.03
12 to 15 in	08	.06	.05
15 to 18 in	11	.09	.07
$\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft.} \\ 2\frac{1}{2} \text{ ft.} \end{array}$	13	*	•07
2½ to 3 ft	18	.15 .25	.12
— atropurpurea 4'-5' F		.43	.20
9 to 12 in	.09		
12 to 15 in	15	.07 .12	.06
15 to 18 in	22	.20	.15
18 to 24 in	30	.25	.20
$\frac{2 \text{ to } 2\frac{1}{2} \text{ ft.}}{2\frac{1}{2} \text{ ft.}}$.37	.30	.25
2½ to 3 ft	.45	.37	.30
— minor, 2'-3'		Box Ba	rberry
9 to 12 in	.22	.20	.15
12 to 15 in	.30	.25	.20
15 to 18 in	.37	.30	.25
*BETULA alba, 30'-50'	Europe	an White	Birch
6 to 8 ft	1.50	1.25	1.00
8 to 10 tt.	1.90		1.00
8 to 10 tt.—1½ to 1½ in	2.25	1.90	1.50
10 to 12 ft.—1½ to 1¾ in	2.50		
10 to 12 ft.—13/4 to 2 in		2.50	
*— alba fastigiata, 25'-40' P.	yramio	dal White	Birch
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.00	1.50	
6 to 8 ft	2.50		
*—— laciniata, 30'-40'	3.43		
5 to 6 ft.	utiear 150		
6 to 8 ft	1.50 2.25	1.25 1.90	1.00
8 to 10 ft., 1½ to 1½ in	3.00	2.50	1.50
10 to 12 f.t, $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75		
10 to 12 ft., 13/4 to 2 in	4.20	3.50	
*— lenta, 40'-50'		Swet	Birch
5 to 6 ft	1.00	.85	
6 to 8 ft	1.25	1.00	
8 to 10 ft.—1½ to 1½ in	1.90	1.50	
10 to 12 ft.—1½ to 1¾ in	2.50		
*— lutea, 50'-70'	3.00	Vollow	Dinch
5 to 6 ft.	05	Yellow	
6 to 8 ft.	.95 1.25	.75 1.00	
8 to 10 ft., 1½ to 1½ in.	2.00	1.50	
10 to 12 ft., 1½ to 1 ¾ in	2.50		
*— nigra, 50'-60'		River	
6 to 8 ft	1.25	1.00	
8 to 10 ft.—1½ to 1½ in.	1.90	1.50	
10 to 12 ft.—1½ to 1¾ in	2.35	1.90	
10 to 12 ft.—13/4 to 2 in	3.00	2.50	
12 to 14 ft.—2 to 2½ in	3.50		

BETULA—continued	Unit P	rice in Quar 5-24	
*— papyrifera, 40'-50'		or Canoe	
6 to 8 ft		1.25	
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	. 2.25	1.90	
10 to 12 ft.—1½ to 1¾ in			
10 to 12 ft.—13/4 to 2 in			
*— populifolia, 30'-40'		Gray	Birch
6 to 8 ft			
8 to 10 ft.—1¼ to 1½ in			
10 to 12 ft.—1½ to 1¾ in			1.50 2.00
12 to 14 ft.—2 to 2½ in			
BIGNONIA grandfliora, 25'-40' C	hinese	Trumpeto	reener
2 year, grafts			
— Mad. Gallen, 25'-40'			
2 year, grafts	45	.37	.30
3 year, grafts		.50	
— radicans, 25'-40'		Trumpeto	
2 year, heavy		.10 .15	
3 year, heavy	10	.15	.14
BUDDLEIA alternifolia, 5' Spring f	lowerii	ng Butteri	flybush
18 to 24 in			
2to 3 ft		.25	
3 to 4 ft			
		ar Butter:	
18 to 24 in		.12 .20	
3 to 4 ft			
		g Butter	flybush
18 to 24 in	~ ^	.20	.15
2 to 3 ft		.25	
— He de France, 4'		Butterfly	
12 to 18 in., 1 yr 18 to 24 in., 2 yr	15	.20	.15
		ve Butter	
18 to 24 in	15	.12	.10
2 to 3 ft	22	.20	.15
,		ch Butter	
1½ to 2 ft., 1 yr 2 to 3 ft., 2 yr	15 22	.12	.10
BUXUS sempervirens (bush for	m) 12	'-15' B	oxwood
12 to 15 in. B. & B	60	.50	
15 to 18 in., B. & B		.75 1.00	
18 to 24 in., B. & B		arf Box	
4 to 6 in			.10
6 to 8 in		.25	.20
8 to 10 in., B. & B		.50	.40
EYTRA CHARGE FOR D	IGGIN	G BIRC	HŒS.

EXTRA CHARGE FOR DIGGING BIRCHES, B. & B. SEE B. & B. SCHEDULE, PAGE 2.

	Unit P	rice in Qua	ntities
	1-4	5-24	25-249
CALLICARPA japonica, 3'-4'	Japane.	se Beaut	vberrv
18 to 24 m	20	.18	.14
2 to 3 ft	27		
— purpurea, 3'-4'		.27	
18 to 24 in	Chines15	se Beaut	
2 to 3 ft	22	.12	.10
3 to 4 ft	30		_
CALLUNA vulgaris, 1'-2'		н	eather
2 year	30	.25	
3 year	37	.30	
— alba, white flowers.			
alporti, bright green folia	age, red	ddish-pu	rple
humilis, bright green folia			
— pilosa, white flowers.	, W II	ice nowe	15.
rosea, bright green foliage			
rubra, spreading habit, pu	urplish-	red flow	ers.
CALYCANTHUS floridus, 4'-5'		Swoot	tshrub
18 to 24 in	.15	.12	.10
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25
CARAGANA arborescens, 10'-12'		erian Pe	ea-tree
18 to 24 in	.18	.15	.12
2 to 3 ft	.22		
3 to 4 ft	.27		.18
4 to 5 ft	.37 .45		
*CARPINUS betulus, 60'-70'			
5 to 6 ft	_	ean Hori	
6 to 8 ft	4.75 6.00	4.00 5.00	
*— caroliniana, 30'-40'		can Hori	
3 to 4 ft			.75
4 to 5 ft.	1.50	1.25	
5 to 6 ft	2.25		
6 to 8 ft	3.00		
8 to 10 ft	4.10	3.50	2.75
12 to 14 ft	6.75		3.5 0 4.5 0
CARYOPTERIS incana (mastacan			
12 to 15 in.			
15 to 18 in.	30	.20	.15 .20
18 to 24 in	.35		
CATALPA (bignonioides nana)	Um	brella Ca	
Heads, 1 yr., 5 to 6 ft. stem			
— speciosa, 30'-35'	W	estern Ca	atalpa
6 to 8 ft	.45	.37	.30
8 to 10 ft	.75		
10 to 12 ft	1.10	.95 1.50	.75 1.2 5
2½ to 3 in	3.00	2.50	2.00

	Unit Prid	ce in Quar 5-24	
CEDRUS atlantica glauca, 35'-50	' Blu	ie Atlas	Cedar
6 to 8 ft., B. & B	10.00	8.00	
8 to 10 ft., B. & B			
10 to 12 ft., B. & B			
— libani, 35'-50'	Ced	ar of Le	ebanon
6 to 8 ft., B. & B			
8 to 10 ft., B. & B	12.00	10.00	
10 to 12 ft., B. & B			
CELASTRUS orbiculatus, 15'-20'	Orioni	al Bitto	rawoot
2 year, 18 to 24 in		.12	
2 year, 2 to 3 ft		.20	
3 year, 3 to 4 ft		.25	.20
		an Bitte	
· · · · · · · · · · · · · · · · · · ·			
2 year, 18 to 24 in		.12 .20	
3 year, 3 to 4 ft	.30		
		**	•
CELTIS occidentalis, 50'-60'	25		kberry
3 to 4 ft		.30	
4 to 5 ft		.00	.50 .75
6 to 8 ft		1.25	
8 to 10 ft.		1.50	1. 5
10 to 12 ft., 1½ to 2 in		2.00	
CEPHALANTHUS occidentalis, 5	'-6'	Putt	onb ush
	- 47	Dutt	onnusu
		.18	.14
18 to 24 in	.20		.14 .18
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.20 .25 .35	.18 .20 .30	.14 .18 .25
18 to 24 in	.20 .25 .35	.18 .20	.14 .18 .25
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.20 .25 .35 45	.18 .20 .30	.14 .18 .25
18 to 24 in	.20 .25 .35 .45	.18 .20 .30 .37	.14 .18 .25 .30
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.20 .25 .35 .45	.18 .20 .30 .37	.14 .18 .25 .30
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft. 5 to 6 ft.	.20 .25 .35 45 7) 20'-30 1.50 2.25	.18 .20 .30 .37 O' Katsu 1.25 1.90	.14 .18 .25 .30 ara-tree 1.00 1.50
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft	.20 .25 .35 .45 7) 20'-30 1.50 2.25 3.00	.18 .20 .30 .37 O' Katsu 1.25 1.90 2.50	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00
18 to 24 in	.20 .25 .35 .45 7) 20'-30 1.50 2.25 3.00 4.20	.18 .20 .30 .37 • Katsu 1.25 1.90 2.50 3.50	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00
18 to 24 in	.20 .25 .35 .45 7) 20'-30 1.50 2.25 3.00 4.20 5.60	.18 .20 .30 .37 .37 .37 .37 .38 .39 .39 .39 .39 .39 .39 .39	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00
18 to 24 in	.20 .25 .35 .45 7) 20'-30 1.50 2.25 3.00 4.20 5.60	.18 .20 .30 .37 .37 .37 .37 .38 .39 .39 .39 .39 .39 .39 .39	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15'	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50	.18 .20 .30 .37 O' Katsu 1.25 1.90 2.50 3.50 4.75 6.00	.14 .18 .25 .30 ra-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50	.18 .20 .30 .37 O' Katsu 1.25 1.90 2.50 3.50 4.75 6.00	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An	.18 .20 .30 .37 .37 Natsure 1.25 1.90 2.50 3.50 4.75 6.00 nerican 1	.14 .18 .25 .30 ra-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An	.18 .20 .30 .37 O' Katsu 1.25 1.90 2.50 3.50 4.75 6.00	.14 .18 .25 .30 ra-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10	.18 .20 .30 .37 2.50 3.50 4.75 6.00 nerican 1	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 11 to 14 ft *CERCIS canadensis, 12'-15'	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.90	.18 .20 .30 .37 2.50 3.50 4.75 6.00 nerican 1 .30 .50 .70 .95 1.25 1.50	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 5 to 6 ft 6 to 8 ft	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.90	.18 .20 .30 .37 2.50 3.50 4.75 6.00 nerican 1	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 11 to 14 ft *CERCIS canadensis, 12'-15'	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.90 2.10	.18 .20 .30 .37 2.50 3.50 4.75 6.00 nerican 1 .30 .50 .70 .95 1.25 1.50	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —————————————————————————————————
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 11 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft *Chinensis, 10'-12' 12 to 18 in	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.90 2.10	.18 .20 .30 .37 .37 .37 .30 .2.50 3.50 4.75 6.00 .30 .50 .70 .95 1.25 1.50 1.75 .25	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —— Redbud .25 .40 .55 .75 1.00 1.25 1.50 Redbud .20
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft chinensis, 10'-12' 12 to 18 in 18 to 24 in	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.50 2.10	.18 .20 .30 .37 .37 .37 .30 .2.50 3.50 4.75 6.00 .30 .50 .70 .95 1.25 1.50 1.75 .25 .37	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —— Redbud .25 .40 .55 .75 1.00 1.25 1.50 Redbud .20 .30
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 10 to 12 ft 12 to 14 ft CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 10 to 12 ft 11 to 12 ft 12 to 18 in 12 to 18 in 13 to 24 in 2 to 3 ft	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.90 2.10	.18 .20 .30 .37 .37 .37 .4.75 .6.00 .50 .70 .95 1.25 1.50 1.75 .25 .37 .50	.14 .18 .25 .30 ra-tree 1.00 1.50 2.00 —— Redbud .25 .40 .55 .75 1.00 1.25 1.50 Redbud .20 .30 .40
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft *CERASUS, (See Prunus, page 4' *CERCIDIPHYLLUM japonicum 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft *CERCIS canadensis, 12'-15' 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft chinensis, 10'-12' 12 to 18 in 18 to 24 in	.20 .25 .35 .45 7) , 20'-30 1.50 2.25 3.00 4.20 5.60 7.50 An .37 .60 .85 1.10 1.50 1.50 2.10	.18 .20 .30 .37 .37 .37 .30 .2.50 3.50 4.75 6.00 .30 .50 .70 .95 1.25 1.50 1.75 .25 .37	.14 .18 .25 .30 ara-tree 1.00 1.50 2.00 —— Redbud .25 .40 .55 .75 1.00 1.25 1.50 Redbud .20 .30

Unit Price in Quantities
1-4 5-24 25-249

CHAMAECYPARIS—THE RETINOSPORAS

CHAMAECYPARIS obtusa, 25'	-35′	Hinoki	Cypress
5 to 6 ft., B. & B.	2.00		
6 to 7 ft., B. & B	2.40		
— — compacta, 4'-6']	Football	Cypress
15 to 18 in., B. & B	60	.50	.40
18 to 24 in., B. & B	90	.75	
2 to 2½ ft., B. & B	1.20	1.00	
2½ to 3 ft., B. & B	1.65	1.35	
3 to 3½ ft., B. & B	2.10	1.75	1.40
$3\frac{1}{2}$ to 4 ft., B. & B	2.60	2.20	1.75
4 to 5 ft., B. & B	4.00	3.50	2.75
— — crippsi, 10'-15'	Cripps	Golden	Cypress
2 to 2½ ft., B. & B.	1.90	1.50	
2½ ft. to 3 ft., B. & B	2.60	2.20	
3 to 3½ ft., B. & B	3.40	2.80	
3½ to 4 ft., B. & B	4.50	3.75	
——gracilis, 12'-15'	Slender	Hinoki	Cypress
2½ to 3 ft., B. & B	2.40	2.00	,
3 to 4 ft., B. & B	3.30	2.75	
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
— — nana, 2½'-4'	Dwarf	Hinoki	Cypress
12 to 15 in., B. & B			
15 to 18 in., B. & B			
18 to 24 in., B. & B		2.50 3.00	
2½ to 3 ft., B. & B	5.75 5.25		
— — youngi, 15'-20'	Young	Golden	Cypress
3 to 4 ft., B. & B	1.80	1.50	
4 to 5 ft., B. & B	2.40	2.00	
5 to 6 ft., B. & B	3.30	2.75	



Mass production of Retinosporas at Princeton insures a selection of uniform specimens that have been frequently sheared and transplanted.

	11 1 5 1		
CHAMAECYPARIS—continued		ce in Qua	
	1-4	5-24	25-249
— pisifera, 25'-35'	Sawara	Retino	ospora
18 to 24 in., B. & B	.60	.50	.40
2 to 2½ ft., B. & B	.75	.60	.50
2½ to 3 ft., B. & B	1.10	.90	.70
3 to 4 ft., B. & B	1.35	1.10	.90
4 to 5 ft., B. & B	2.25	1.90	1.50
5 to 6 ft., B. & B	3.75		
6 to 7 ft., B. & B	5.25		
— — aurea, 25'-35' Golden	Sawara	Retino	ospora
18 to 24 in., B. & B	.75	.55	.45
2 to 2½ ft., B. & B	.90	.75	.60
2½ to 3 ft., B. & B	1.10	.95 1.25	.75 1.00
3 to 4 ft., B. & B	1.50 2.60	2.20	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.00		2.75
6 to 7 ft., B. & B	5.60		
· · · · · · · · · · · · · · · · · · ·		Retino	ngnora
— filifera, 15'-20'		.50	.40
15 to 18 in., B. & B	.60 .75	.60	.50
18 to 24 in., B. & B 2 to 2½ ft., B. & B	1.00	.80	.65
2½ to 3 ft., B. & B	1.50	1.25	1.00
3 to 4 ft., B. & B	2.25		1.50
4 to 5 ft., B. & B		3.00	2.50
5 to 6 ft., B. & B	5.25	4.40	3.50
— — aurea, 10'-12' Golder	Thread	Retin	ospora
12 to 15 in., B. & B		.60	
15 to 18 in., B. & B		1.00	.80
18 to 24 in B. & B	1.80	1.50	
2 to 2½ ft., B. & B	2.25	1.90	1.50
variegata, 10'-12' Variegate		dRetin	ospora
15 to 18 in., B. & B		1.00	.80
18 to 24 in., B. & B	1.80	1.50	1.25
2 to 2½ ft., B. &. B		1.90	
— plumosa 25'-35'		e Retin	ospora
12 to 15 in B. & B	.45	.37	.30
15 to 18 in., B. & B	.60	.50	.40
18 to 24 in., B. & B	.75	.60	.50
2 to 2½ ft., B. & B		.75	.60
2½ to 3 ft., B. & B		.95 1.25	.75 1.00
3 to 4 ft., B. & B		2.20	
4 to 5 ft., B. & B	4.40	3.50	
5 to 6 ft., B. & B	= <0		
— plumosa aurea, 20'-25' Gold			ospora
12 to 15 in., B. & B		.37	.30
15 to 18 in., B. & B		.50	.45
18 to 24 in., B. & B.	.90	.75	.60
2 to 2½ ft B. & B	1.10	.95	.75
2½ to 3 ft., B. & B		1.25	1.00
3 to 4 ft., B. & B		1.90 2.50	
4 to 5 ft., B. & B		2.50 3.75	
5 to 6 ft., B. & B		5.00	4.00
6 to 7 ft., B. & B			
— plumosa lutescens, 2½'-3' Yell		.75	.60
15 to 18 in., B. & B	.90 1.20	1.00	.80
18 to 24 in., B. & B	4 = 0	1.25	1.00
2 to 2½ ft., B. & B	~ ~=	1.80	1.50
=/2 to 0 to, D. a D			

CHAMAECYPARIS—continued	Unit Pri	_	antities 25-249
— squarrosa nana, 2½'-3'	Dwarf	Moss	Cypress
9 to 12 in., B. & B	.60	.50	
12 to 15 in., B. & B	.80	.65	
— — sulphurea, 20'-25' Sulph	ur Mos	s Reti	nospora
12 to 15 in., B. & B		.40	
15 to 18 in., B. & B	.75	.60	
18 to 24 in., B. & B 2 to 2½ ft., B. & B	1.00 1.25	.80 1.10	
2½ to 3 ft., B. & B.	1.60	1.10	
3 to 3½ ft., B. & B	1.80	1.50	
— — veitchi, 25'-30'	Mos	ss Retii	nospora
12 to 15 in., B. & B.	.45	.37	.30
15 to 18 in., B. & B	.60	.50	_
18 to 24 in., B. & B.	.75	.60	.50
2 to 2½ ft., B. & B	1.10	.95	• • •
2½ to 3 ft., B. & B	1.50 2.25	1.2 5 1.90	
4 to 5 ft., B. & B	3.00	2.50	
5 to 6 ft., B. & B	4.50	3.75	3.00
6 to 7 ft., B. & B	6.00	5.00	4.00
CHIONANTHUS virginica, 15'-18'	Wh	ite Fri	ngetree
18 to 24 in		.25	
2 to 3 ft	.37	.30	_
3 to 4 ft	.52	.45 .70	.35 .55
5 to 6 ft		.95	.75
6 to 8 ft	1.50	1.25	
CLADRASTIS lutea (tinctoria), 8	30'-40'	Yello	wwood
4 to 5 ft			1.25
5 to 6 ft			1.50
6 to 8 ft		3.00	
CLEMATIS paniculata, 20'-25' Sw			
2 year			.12
3 year	.25	.20	.16
CLEMATIS HYBI Henryi—Snow -white flowers.	RIDS		
Jackman—Violet-blue flowers.			
Mme. Edouard Andre—Wine-red	flowers		
Romona—Sky-blue flowers.		•	
2 year 6 in. pots	.70	.55	.45
CLETHRA alnifolia, 4'-5'		Summe	ersweet
18 to 24 in	.30	.25	_
$2 \text{ to } 2\frac{1}{2} \text{ ft}$.45		.30
2½ to 3 ft	.60 .75	.50 .60	.40 .50
COLUTEA arborescens, 8'-10' Co			
2 to 3 ft	.30 .37		.20
4 to 5 ft	.50	.30 .40	.25

	Unit	Price in Qu	antities
	1-4	5-24	25-249
CORNUS alba (sibirica), 8'-10'	Dwar	nahad Da	
18 to 24 in		n ch ed Do	
2 to 3 ft		.10 .15	
3 to 4 ft	.25		
4 to 5 ft			
— — elegantissima, 6'-8' S	ilverb	olotch Do	ogwood
18 to 24 in	.30	.25	• -
2 to 3 ft		.37	
3 to 4 ft	.00	.50 Blue Do	
2 to 3 ft	.45		.30
3 to 4 ft	.60		
4 to 5 ft	.75		.50
5 to 6 ft	.90	.75	
6 to 7 ft	1.10	.95	
— amomum (sericea), 8'-9'		Silky Do	
2 to 3 ft	.18		.12
3 to 4 ft	.25	.20 .27	
5 to 6 ft	.42	.35	-
NURSERY-GROWN D	OGW	OOD	
*— florida, 15'-25' Whi	iteflov	wering D	ogwood
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	1.10 2.25	.95 1.90	.75 1.50
6 to 8 ft	3.40	2.80	
8 to 10 ft	5.25		3.50
10 to 12 ft	7.50	6.25	5.00
Extra Heavy Bushy Specimens)% additio	
*— florida rubra, 15'-20' R		wering D .95	.75
2 to 3 ft	1.10		1.25
4 to 5 ft	3.00		2.00
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft	6.00	5.00	4.00
8 to 10 ft	8.50 11.00	7.00 9.50	5.50 7.50
Extra Heavy Bushy Specimens		0% additio	
*— kousa, 16'-18'		Kousa D	
18 to 24 in	.45	.35	
2 to 3 ft	.60	.50	
3 to 4 ft	.95 1.25	.75 1.00	
4 to 5 ft	1.25		
6 to 7 ft	2.40		
7 to 8 ft	3.00	2.50	
— mas, 20'-25'		Cornelian	· ·
18 to 24 in	.37	.30	.25
2 to 3 ft	.50 .75	.45 .60	.35 .50
3 to 4 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
₩			
EXTRA CHARGE FOR DIGGING	DOG	WOODS	B. & B.

EXTRA CHARGE FOR DIGGING DOGWOODS B. & B. SEE B. & B. SCHEDULE, PAGE 2.

CORNUS—continued		Price in Qu	antities
	1-4	5-24	25-249
— paniculata, 10'-12'		Gray D	ogwood
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
— sanguinea, 8'-10'	Blood	dtwig D	ogwood
18 to 24 in	.15	.12	.10
2 to 3 ft	.25	.20	.15
3 to 4 ft	.30	.25	.20
— stolonifera, 7'-8'	Red	-osier De	ogwood
18 to 24 in	.12	.10	.08
2 to 3 ft	.18	.15	.12
3 to 4 ft	.25	.20	.16
4 to 5 ft	.33	.27	.22
— — lutea, 6'-7'	Golde	ntwig De	ogwood
18 to 24 in	.18	.15	.12
2 to 3 ft	.26	.21	
3 to 4 ft	.37	.30	.25
CORYLUS americana, 8'-9'	Ame	rican H	azelnut
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	
5 to 6 ft	-85	.70	-55

POT GROWN COTONEASTER

This beautiful group of attractive berry beering shrubs is so difficult to transplant either bare root or B.&B. that we are growing all our stock in pots, thereby eliminating transplanting hazard.

COTONEASTER

— acutifolia, 10'-12'	Pekir	g Cotone	easter
12 to 15 in., pots	.60	.50	.40
15 to 18 in., pots	.75	.60	.50
— apiculata, 5'			
6 to 9 in., pots	.35	.30	.25
9 to 12 in., pots	.50	.40	.35
12 to 15 in., pots	.75	.60	.50
15 to 18 in., pots	.85	.70	
— congesta, 2'-3'			
9 to 12 in., pots	.50	.40	.35
— dammeri (chumifusa) 1'-2'			
6 to 9 in., pots	.50	.40	.35
9 to 12 in., pots	.75	.60	.50
— dielsiana, 6'-8'	Die	ls Cotone	easter
12 to 15 in., pots	.60	.50	.40
15 to 18 in., pots	.75		.50
18 to 24 in., pots	.90	.75	.60
— divaricata, 5-6'	preadin	g Cotone	easter
9 to 12 in., pots	.45	.37	.30
15 to 18 in., pots	.60		.40
— foveolata, 6'-10'			
9 to 12 in., pots	.45	.37	.30
12 to 15 in., pots	.60	.50	.40
15 to 18 in., pots	.75	.60	.50

COTONEASTER—continued	Unit 1-4	Price in Qu 5-24	antities 25-249
— francheti, 5'-6'	Franc	ehet Coto	neaster
9 to 12 in., pots	40	.30	.25
12 to 15 in., pots			
15 to 18 in., pots		.55	
		yan Coto	
6 to 9 in., pots		.40 .60	.35
— horizontalis (davidiana), 2'-3'	'R	ock Coto	neaster
6 to 9 in., pots	.60	.50	.40
9 to 12 in., pots			
12 to 15 in., pots	1.00	.80	.65
— — perpusilla, 2'-3'			
6 to 9 in., pots	.60	.50	.40
9 to 12 in., pots			.55
12 to 15 in., pots			.70
12 to 15 in., pots			.90
— prostrata, 5'-6'			
-	7.	60	F 0
9 to 12 in., pots			.50
12 to 15 in., pots			
15 to 18 in., pots			
— lindleyi, 6'-8'		dley Coto	
6 to 9 in., pots			
9 to 12 in., pots	.75	.60	
microphylla, 2'-3'		Ro	ckspray
6 to 9 in., pots	.45	.37	.30
9 to 12 in., pots		.50	.40
12 to 15 in., pots		.60	.50
15 to 18 in., pots		.75	
— — thymifolia, 2'-3'			
9 to 12 in., pots	.60	.50	.40
12 to 15 in., pots			
15 to 18 in., pots		.75	
· ÷		leaf Coto	neaster
6 to 9 in., pots		.40	.35
9 to 12 in., pots			
— racemiflora, 8'	00	.00	
· ·	(0	۲۸	40
9 to 12 in., pots		.50	.40
12 to 15 in., pots			
— rotundifolia (buxifolia), 7'-8'			
6 to 9 in., pots			.25
9 to 12 in., pots			.35
12 to 15 in., pots		.55	
— salicifolia, 10'-12'	Villow	leaf Coto	neaster
9 to 12 in., pots	.60	.50	.40
12 to 15 in., pots			
15 to 18 in., pots			
18 to 24 in., pots		.95	
— simonsi, 5'-6'	Sim	ons Coto	neaster
9 to 12 in., pots	52	.45	.35
12 to 15 in., pots			12.1
15 to 18 in., pots		.75	.60
18 to 24 in., pots	1.10	.95	.75
— tenuipes, 5'-6'			
9 to 12 in., pots	.60	.50	.40
12 to 15 in., pots	75	.60	.50

	Unit	Price in Qua	antities
	1-4	5-24	25-249
*CRATAEGUS arkansana, 15'-20'	Arka	ansas Har	wthorn
2 to 3 ft	.90	.75	
3 to 4 ft	1.20	1.00	
4 to 5 ft		1.25	
* — arnoldiana, 20'	Aı	rnold Hav	wthorn
2 to 3 ft	.75	.60	.50
	.90	.75	.60
4 to 5 ft	1.10	.95	.75
	1.50	1.25	1.00
6 to 7 ft	2.25	. 1.90	1.50
7 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.00	3.50	2.75
4 47 00	~		4.3
• — carrierei, 15'-20'	Car	riere Hav	wthorn
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.80	1.50	
6 to 7 ft	2.40	2.00	
7 to 8 ft	3.00	2.50	
454.004	60.1		43
• — coccinea, 15'-20'	T'h:	icket Hav	wthorn
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.10	1.75	1.40
6 to 7 ft	3.00	2.50	2.00
7 to 8 ft	4.10		2.75
8 to 10 ft	5.25	4.40	3.50
* — coccinioides, 15'-20'			
5 to 6 ft			
6 to 7 ft			
7 to 8 ft	2.70	2.25	
4	oahin	gton Hav	wthorn
·			M CHOL H
4 to 5 ft	2.00	1.70	
5 to 6 ft			
6 to 8 ft	3.00	2.50	
* — crusgalli, 15'		Cockspur	Thorn
		_	
2 to 3 ft	1.10	•••	.75
3 to 4 ft		1.25	
4 to 5 ft	2.25		
5 to 6 ft	3.00		
6 to 7 ft	4.00	3.75	3.00
* — mollis, 15'	D	owny Ha	wthorn
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	
5 to 6 ft	1.50		
6 to 7 ft	2.25		
7 to 8 ft	3.00	•••	
8 to 9 ft			2.75
			43
• — oxycantha, 12'-15'	_	lish Haw	
2 to 3 ft	.75	.60	
3 to 4 ft	.90	· · · · · · · · · · · · · · · · · · ·	.60
4 to 5 ft	1.10		
5 to 6 ft	1.50	1.25	1.00
6 to 7 ft	1.90	1.50	1.25
7 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00

	<u> </u>		
	Unit	Price in Qua	ntities
CRATAEGUS—continued		~	25-249
* — — double pink, 12'-15' Dou	ible I	Pink Haw	thorne
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	1.90	1.50	
* — — double white, 12'15' Doub	le W	hite Haw	thorne
5 to 6 ft	1.90		
6 to 8 ft	2.25		
0 0 10			
			4.7
* — pauli, 12'-15' Pau			vthorn
3 to 4 ft	1 25	95	
4 t o 5 ft			1.00
			1.00
5 to 6 ft	1.90	1.50	
			t •
* —pedicellata, 15'-20'			
3 to 4 ft	1.00	.80	.65
, 60 6 250		1.00	.80
		1.50	
6 to 7 ft	2.25	1.90	1.50
7 to 8 ft	3.00	2.50	2.00
, , , , , , , , , , , , , , , , , , , ,			
* — punctata, 25'-30'	Do	otted Hav	wthorn
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft			
J 10 0 11	2.10	1.75	
* culmallia 10/ 15/	01	rebec Hav	wthorn
* — submollis, 12'-15'	· ·		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.35		.90
	1.90		1.25
5 to 6 ft			
6 to 8 ft	2.25	1.90	1.50
12 14 10 10 TOTAL		PENTE A	
— pyracantha lalandi (See PYRA	AUAN	THA)	
CONTROL OF THE STATE OF	F/ 00		
CRYPTOMERIA japonica lobbi, 1	b'-20		
	Lo	bb Crypt	omeria
5 to 6 ft D & D	4.20	3 50	2.80
5 to 6 ft., B. & B	5.25		3.50
,			
7 to 8 ft., B. & B	7.15		4.75
8 to 10 ft., B. & B	9.00	7.5 0	6.00
,			
CUDONIA :	701		Ouines
CYDONIA japonica, 4'-5'	F. I	owering	Quince
12 to 18 in	.15	.12	.10
			.14
18 to 24 in	.22		
2 to 3 ft	.30	.25	.20
DAPHNE cneorum, 12"-18"		Rose 1	Daphne
	50		-
6 to 9 in., pots or B. & B	.52	.45	.35
9 to 12 in., pots or B. & B	.85	.70	.55
12 to 15 in., pots or B. & B	1.35	1.10	.90
— mezereum, 4'	F	'ebruary l	Daphne
			.35
9 to 12 in., pots	.52	.45	
12 to 15 in., pots	.70		.45
15 to 18 in., pots	.90	.75	.60

	Unit P		uantities 25-249
DEUTZIA gracilis, 3'	S	lender	Deutzia
9 to 12 in	.15	.12	.10
15 to 18 in.			.13
		.25	.20
18 to 24 in		.25	
2 to 2½ ft	.35	.30	.25
— rosea, 3'	Rose F	anicle	Deutzia
12 to 15 in		.12	.10
15 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
— lemoine ¹ , 4'-5'	Le	moine	Deutzia
15 to 18 in	.15	.12	.10
18 to 24 in			.15
2 to 3 it.			.20
3 to 4 ft		.30	.25
		.00	
— magnifica, 9'-10'	Giant	Flwd.	Deutzia
18 to 24 in	.15	.12	.10
2 to 3 ft		.15	.12
3 to 4 ft		.22	.16
4 to 5 ft		.25	.20
5 to 6 ft		.37	.30
- Mont Rose, 4'-5' 18 to 24 in	.30	.25	
- scabra candidissima, 9'-10'	Sno	wflaka	Deutzia
18 to 24 in.		.12	.10
2 to 3 ft			.12
3 to 4 ft.			.16 .20
4 to 5 ft		.23	
5 to 0 11	.43	.37	.50
— scabra crenata fl. pl., 6'-8'	Double	Pink	Deutzia
18 to 24 in		.15	.12
2 to 3 ft	22		.15
3 to 4 ft		.25	
4 to 5 ft	.37	.30	.25
— Pride of Rochester, 9'-10'			
18 to 24 in		.12	.10
2 to 3 ft			.12
3 to 4 ft			
4 to 5 ft		.25	
5 to 6 ft	.45	.37	.30
DIERVILLA sessilifolia (lutea),	4'-5'		
		sh-hone	eysuckle
18 to 24 in			.12
		.13	.12
2 to 3 ft		.30	.16
J 10 4 11		.50	.43

	Unit P	rice in Qu 5-24	antities 25-249
ELAEAGNUS angustifolia, 15'-18	8′	Russia	n-olive
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40
— longipes, 6'-8'	Che	erry Ela	.eagnus
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft	.70	.5 5	.45
4 to 5 ft	.90	.75	
— pungens reflexa, 10'-12'	Bro	onze E la	eagnus
12 to 18 in., pots	.30	.25	.20
18 to 24 in., pots	.45	.37	.30
— umbellata, 8'-10'	Autı	ımn Ela	eagnus
2 to 3 ft	.37	.30	.25
3 to 4 ft	.50	.45	.35
4 to 5 ft	.70	.55	.45
5 to 6 ft	.85	.70	.55
ELSHOLTZIA stauntoni, 4'-5'			
12 to 15 in	.25	.20	.15
15 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
ENKIANTHUS campanulatus, 20		ein Enk	ianthus
12 to 15 in., B. & B	1 25	1.00	
18 to 24 in., B. & B	1.23	1.25	
2 to 3 ft., B. & B			
		nged Eu	onymus
EUONYMUS alatus, 9'-10'			-
18 to 24 in	= ^	.30	
2 to 3 ft			
3 to 4 ft	4 4 0		
4 to 5 ft	1.10	.95	./:



Elaeagnus umbellata and Ligustrum ibota (true form) as grown at Princeton.

EUONYMUS—continued	Unit Pr	•	antities
Second Francis Continued	1-4	5-24	25-249
— — compacta, 4'-5'			
12 to 18 in	.45	.37	.30
18 to 24 in	.70	.55	.45
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	.75
— americanus, 7'-8'	Bro	ok Eu	onymus
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
— bungeanus, 12'-14' Wi	interbe	rry Eu	onymus
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	.50
— europaeus, 12'-14' Eu	iropean	Burni	ngbush
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60	.50	
6 to 7 ft.	.80	.65	
* — patens (sieboldianus), 6'-8'	Spreadi	ing Euc	onymus
12 to 15 in	.20	.16	
15 to 18 in	.25	.20	
— radicans, climbing to 15'	•	Winter	creeper
6 to 9 in., 1 year	.25	.20	.15
9 to 12 in., 2 year	.30	.25	.20
12 to 15 in., 2 year	.37	.30	.25



EURONYMUS ALATUS

A beautiful shrub worthy of more attention. Makes a fine specimen and may also be used for screen and hedge planting.

	Unit F	rice in Qua	intities
EUONYMUS—continued	1-4	~	25-249
— — carrieri, 3'-4'	Glossy	Winterc	reeper
6 to 9 in., 1 year	25	.20	
9 to 12 in., 2 year			, — v
—— colorata, 6'-12' Red			_
6 to 9 in., 1 year 9 to 12 in., 2 year	18	.15	.12
12 to 15 in., 2 year	.30	.25	
— — minimum (kewensis), 6"-1	2" Bab	y Winterc	reeper
3 in. pots	.50	.40	
— wariegatus,12"-15" Variega	tedlear	Winterd	reeper
6 to 9 in., 1 year	18	.15	.12
6 to 9 in., 1 year			
— vegetus, 3'-4'			_
6 to 9 in., 2 year 9 to 12 in., 2 year		.25	.20 .25
12 to 15 in., 3 year			.30
EXOCHORDA grandiflora, 6'-9'	Com	mon Pea	rlhugh
18 to 24 in		.15	.12
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	50	.40	.35
· · · · · · · · · · · · · · · · · · ·			
	A	American	Beech
FAGUS americana, 75'-100'		American 125	Beech
	. 1.50	American 1.25 1.50	Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 1.90 2.80	1.25 1.50 2.25	1.25 1.80
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.50 1.90 2.80 3.75	1.25 1.50 2.25 3.00	1.25 1.80 2.50
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	1.50 1.90 2.80 3.75 5.00	1.25 1.50 2.25	1.25 1.80
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50	1.25 1.50 2.25 3.00 4.00	1.25 1.80 2.50 3.50 5.00
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50	1.25 1.50 2.25 3.00 4.00 6.25	1.25 1.80 2.50 3.50 5.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 F	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95	1.25 1.80 2.50 3.50 5.00 Beech .50 .75
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 F .75 1.10 2.25	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 F .75 1.10 2.25 3.40	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 F 75 1.10 2.25 3.40 4.90	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 F .75 1.10 2.25 3.40 4.90 6.75	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 10 to 12 ft., B. & B. - asplenifolia, 20'-30' 3 to 4 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 75'-100' 2 to 3 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 6 ft., B. & B. 8 to 10 ft., B. & B. 9 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 10 to 12 ft., B. & B. - asplenifolia, 20'-30' 3 to 4 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25	1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75	1.25 1.80 2.50 3.50 5.00 Beech .50 2.25 3.25 4.50 6.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 10 ft., B. & B. 8 to 10 ft., B. & B. 8 to 10 ft., B. & B. 9 to 12 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 mericana, 75'-100' 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 mericana, 75'-100' 3 to 4 ft., B. & B. 8 mericana, 75'-100' 2 to 3 ft., B. & B. 8 mericana, 75'-100' 2 to 3 ft., B. & B. 9 mericana, 75'-100' 3 to 4 ft., B. & B. 9 mericana, 75'-100' 3 to 4 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50	1.25 1.80 2.50 3.50 5.00 Beech .50 2.25 3.25 4.50 6.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 — asplenifolia, 20'-30' 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 — pendula, 25'-40' 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 6 to 8 ft., B. & B. 7 — pendula, 25'-40' 8 to 5 ft., B. & B. 8 B. 8 B. 8 B. 9 To 5 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50	1.25 1.80 2.50 3.50 5.00 Beech .50 2.25 3.25 4.50 6.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. 9 to 3 ft., B. & B. 10 to 5 ft., B. & B. 10 to 12 ft., B. & B. 10 to 5 ft., B. & B. 10 to 5 ft., B. & B. 10 to 5 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 5 ft., B. & B. 10 to 8 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00 3.25 4.50 6.00	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50	1.25 1.80 2.50 3.50 5.00 Beech .50 2.25 3.25 4.50 6.00 Beech
FAGUS americana, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. - sylvatica, 75'-100' 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 — asplenifolia, 20'-30' 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 — pendula, 25'-40' 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 6 to 8 ft., B. & B. 7 — pendula, 25'-40' 8 to 5 ft., B. & B. 8 B. 8 B. 8 B. 9 To 5 ft., B. & B.	1.50 1.90 2.80 3.75 5.00 7.50 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00 3.25 4.50 6.00 7.50	1.25 1.50 2.25 3.00 4.00 6.25 European .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50 Weeping ————————————————————————————————————	1.25 1.80 2.50 3.50 5.00 Beech .50 2.25 3.25 4.50 6.00 Beech

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

FAGUS—continued	Unit P 1-4	rice in Qua	25-249
— riversi, 40'-60'	Rivers E	uropean	Beech
2 to 3 ft., B. & B	2.50		
3 to 4 ft., B. & B.	3.50		
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	5.50		
FORSYTHIA intermedia, 6'-8'	Во	rder Foi	rsythia
18 to 24 in	12	.10	.08
2 to 3 ft		.15	.12
3 to 4 ft		.22	.16
4 to 5 ft		.27	.22
5 to 6 ft	45	.37	.30
— intermedia spectabilis, 6'-8'	Showy Bo	order Fo	rsythia
18 to 24 in	15	.12	.10
2 to 3 ft		.18	.14
3 to 4 ft		.22	.18
4 to 5 ft			.25
5 to 6 ft	52	.45	.35
ovata, 6'-8'		rean Foi	rsythia
18 to 24 in		.25	
2 to 3 ft		.30	.25
3 to 4 ft	52	.45	.35
— suspensa, 4'-6'	Wee	ping For	rsythia
18 to 24 in		.12	.10
2 to 3 ft		.20	.15
3 to 4 ft		.25	.20
4 to 5 ft		.37	.30
5 to 6 ft	60	.50	.40
— — fortunei, 7'-8'		tune For	
18 to 24 in		.10	.08
2 to 3 ft		.15	.12
3 to 4 ft		.20	.16
4 to 5 ft		.27 .37	.22
J 10 0 IL	45	.3/	.30



Forsythic spectabilis and suspensa with Hydrangea Peegee in background.

FORSYTHIA—continued	Unit Pri 1-4	ce in Quan 5-24	
— viridissima, 7'-8'	Greens	tem Fors	ythia
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.12 .18 .25 .33	.10 .15 .20 .27	
FRAXINUS americana, 70'-80'			e Ash
6 to 8 ft. 8 to 10 ft	.75 1.10 1.50 1.90 2.50 3.00	.60 .95 1.25 1.50 2.00 2.50	.50 .75 1.00 1.25
— lanceolata, (viridis) 50'60'		Gree	n Ash
6 to 8 ft	1.10 1.50 1.90 2.50	.60 .95 1.50 1.50 2.00 2.50	.50 .75 1.00 1.25
GENISTA, tinctoria, 3' 12 to 18 in	.22	Wood	waxen .15
GINKGO biloba (Salisburia), 50'	-75' M	aidenhai	ir-tree
6 to 8 ft	3.00 3.75 4.75 6.25 8.25 10.50	7.00 8.00	4.25 5.50 7.00
GLEDITSIA triacanthos, 60'-70'	Commo	n Honev	locust
4 to 6 ft		.60 .95 1.50	.50
GYMNOCLADUS dioica, 40'-50'	Kentu	icky Coff	eetree
4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 10 ft.	. 1.90 . 2.40 . 3.00	2.50	1.25 1.60 2.00
— ₹ H }			
HALESIA tetraptera, 12'-15'	G	reat Sil	verbell
3 to 4 ft	70 90 1.20	.37 .55 .75 1.00 1.25	

	Unit Pri	ce in Quai	ntities
	1-4	~	
HAMAMELIS virginiana, 10'-12' (_
2 to 3 ft	.52	.45	.35
3 to 4 ft.	.70	.55	.35
4 to 5 ft	1.00	.90	.70
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	1.90	1.50	
HEDERA colchica dentata, 20'-50	' Gian	t Englis	h Ivy
9 to 12 in., 3 in. pots	.25	.20	
— helix, 20'-50'		Englis	sh Ivy
12 to 18 in., 3 in. pots	.25	.20	
— baltica, 15'-25'	Hard	y Englis	h Ivy
12 to 18 in., 3 in. pots	.30	.25	.20
12 to 18 in., 3 in. pots	30	.25	.20
HIBISCUS syriacus (Althea), 10			•-•
anemonaeflorus, double pink.	-12	Shrub-a	iitnea
	vanlaati	a ain ala	hlun
ardens, double rose violet Boule de Feu, double bright re		s, single	brue.
		od	
Elegiantissimus, double, bluish- Comte de Haimont, double pinl	wnite-ro	ed cente	r. d
Jeanne d'Arc, double white.	x, white	mottle	u.
Lucy, double lavender violet.			
Puniceus Plenus, semi-double r	ose.		
purpureus plenus, double purp	le.		
rubis, single red.			
Totus Albus, single white.			
2 to 3 ft	.20	.18	.14
3 to 4 ft	.27	.22	.18
5 to 6 ft	.37 .60	.30	.25
6 to 7 ft	.80	.65	
7 to 8 ft		80	
- Variegata, 6'-8' Variegated le		ose-of-S	haron
2 to 3 ft		.20	.15
3 to 4 ft	.37	.30	.25
		.45	.35
HYDRANGEA arborescens, 6'		th Hydra	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30 .37	.25	.20 .25
— grandiflora alba (sterilis), 4'-5'		.00	.23
		ill Hydra	angea
12 to 18 in	.12	.10	
18 to 24 in	.18		
3 to 4 ft.	.25	.20 .27	.16 .22
— paniculata (type), 8'-9'		le Hydra	
18 to 24 in	.18	.15	_
2 to 3 ft	.22	.20	•
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
		ee Hydra	angea
12 to 18 in	.12	.10	
18 to 24 in	.18 .27	.15	.12
3 to 4 ft	.33	.22	.18
4 to 5 ft	.45	.37	.30

	Hais	Price in O	
HYDRANGEA—continued		Price in Qua	
	1-4	5-24	25-2 1 9
——— standards		Tree Hydr	angea
2 to 3 ft., medium		.50	.40
3 to 4 ft., first class		** *	
4 to 5 ft., first class	1.05		.70
5 to 6 ft., first class		1.10	.90
— quercifolia, 3'-4'		leaf Hydr	angea
18 to 24 in		.30	
2 to 3 ft		.40	
3 to 4 ft	60	.50	
HYPERICUM aureum, 3'-4'	Golde	n St. John	swort
18 to 24 in.	30	.25	.20
2 to 3 ft			
3 to 4 ft			.30
— densiflorum, 4'-5'			
18 to 24 in	30	.25	.20
2 to 2½ ft		.30	.25
2½ to 3 ft.			.30
3 to 4 ft	52	.45	.35
— kalmianum, 3'-5'	K	alm Hype	ricum
18 to 24 in		.25	.20
2 to 3 ft		.30	
3 to 4 ft		.37	.30
4 to 5 ft	70	.55	.45
- moserianum, 2'		Gold	flower
9 to 12 in., 3½ in. pots	30	.25	.20
12 to 15 in., 4 in. pots	37	.30	.25
15 to 18 in., 5 in. pots	.45	.37	.30
		.07	• • •
of T lo		.07	
			
		Japanese	
1LEX crenata, 8'-10' 12 to 15 in., B. & B	75	Japanese	Holly .50
12 to 15 in., B. & B	75	Japanese .60 .95	Holly .50 .75
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	75 . 1.10 . 1.50	Japanese .60 .95 1.25	Holly .50 .75 1.00
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	75 . 1.10 . 1.50 . 2.25	Japanese .60 .95 1.25 1.90	Holly .50 .75 1.00 1.50
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	75 . 1.10 . 1.50 . 2.25 . 2.60	Japanese .60 .95 1.25 1.90 2.20	Holly .50 .75 1.00 1.50 1.75
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	75 . 1.10 . 1.50 . 2.25 . 2.60 . 3.40	Japanese .60 .95 1.25 1.90 2.20 2.80	Holly .50 .75 1.00 1.50 1.75 2.25
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4′-5′	75 . 1.10 . 1.50 . 2.25 . 2.60 . 3.40 Conv	Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved	Holly .50 .75 1.00 1.50 1.75 2.25 Holly
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B.	75 . 1.10 . 1.50 . 2.25 . 2.60 . 3.40 Conv	Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	75 . 1.10 . 1.50 . 2.25 . 2.60 . 3.40 Conv . 1.20 . 1.75 . 2.60	Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. — microphylla, 6'-8' Lit		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. — microphylla, 6'-8' Litter 12 to 15 in., B. & B.	75 . 1.10 . 1.50 . 2.25 . 2.60 . 3.40 Conv . 1.20 . 1.75 . 2.60 tleleaf	Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4′-5′ 12 to 15 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. — microphylla, 6′-8′ Little 12 to 15 in., B. & B. 15 to 18 in., B. & B.	75 . 1.10 . 1.50 . 2.25 . 2.60 . 3.40 Conv . 1.75 . 2.60 tleleaf . 1.10	Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .100
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4′-5′ 12 to 15 in., B. & B. 18 to 24 in., B. & B. — microphylla, 6′-8′ Lit 12 to 15 in., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 1.50
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. — microphylla, 6'-8' Little 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 15 in., B. & B. 18 to 24 in., B. & B. 19 to 2½ ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 1.50
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. — microphylla, 6'-8' Lit 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .1.00 1.50 2.00 2.50
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. — microphylla, 6'-8' Lit 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — glabra, 5'-6'		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 In	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .1.00 1.50 2.00
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 15 in., B. & B. 12 to 15 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. — glabra, 5'-6' 18 to 24 in., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Initial	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .1.00 1.50 2.00 2.50 kberry
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —— convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 15 in., B. & B. 15 to 15 in., B. & B. 16 to 24 in., B. & B. 17 to 15 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Ini 1.75	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .1.00 1.50 2.00 2.50 kberry
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Ini 1.75 2.00 2.50	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 1.50 2.00 2.50 kberry
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Ini 1.75 2.00 2.50 American	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 2.50 kberry Holly
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Ini 1.75 2.00 2.50 American .95	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 2.00 2.50 kberry —— Holly .75
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. - opaca, 45'-50' 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 2 to 3 ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 In 1.75 2.00 2.50 American .95 1.90	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .1.00 2.00 2.50 kberry —— Holly .75 1.50
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —— convexa (bullata), 4′-5′ 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —— microphylla, 6′-8′ Lit 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 15 in., B. & B. —— microphylla, 6′-8′ Lit 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Ini 1.75 2.00 2.50 American .95 1.90 2.80	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 2.50 kberry —— Holly .75 1.50 2.25
1LEX crenata, 8'-10' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. — convexa (bullata), 4'-5' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 In 1.75 2.00 2.50 American .95 1.90	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 .1.00 2.00 2.50 kberry —— Holly .75 1.50
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —— convexa (bullata), 4′-5′ 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. —— microphylla, 6′-8′ Lit 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 15 in., B. & B. —— microphylla, 6′-8′ Lit 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B.		Japanese .60 .95 1.25 1.90 2.20 2.80 ex leaved 1.00 1.50 2.20 Japanese .95 1.25 1.90 2.50 3.00 Ini 1.75 2.00 2.50 American .95 1.90 2.80 3.75	Holly .50 .75 1.00 1.50 1.75 2.25 Holly .85 1.25 1.75 Holly .75 1.00 2.50 kberry —— Holly .75 1.50 2.25

ILEX—continued	Unit	Price in Qu	antities
	1-4		25-249
— serrata (sieboldi) 8'-10'		Finetoot	•
2 to 3 ft	.75 1.10		.50
- verticillata (prinos), 6'-8'	1.10		.75
2 to 3 ft	27		erberry
3 to 4 ft	.37 . 5 2	.30 .45	.25
4 to 5 ft	.70	.55	.45
5 to 6 ft	.85	.70	.55
6 to 7 ft	1.00	.80	.65
INDIGOFERA kirilowi, 6'	= 0	Kirilow	Indigo
18 to 24 in	.50 .70	.40 .55	
ITEA virginica, 3'-4'	./0		etspire
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.23	
3 to 4 ft	.60	.50	.40
		Winter Ja	amino
JASMINUM nudiflorum, 3'			
18 to 24 in	.22	.20 .30	.15 .25
2 to 3 ft	.52	.45	.35
— stephanensis, 3'			
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
JUGLANS cinerea, 80'-100'		But	ternut
3 to 4 ft			
4 to 5 ft	1.00		
— nigra, 80'-100'	60	Black V	Valnut
4 to 5 ft	.60 .90	.50 .75	
6 to 8 ft	1 00	1.00	
JUNIPERUS chinensis, 15'-20'	(Chinese J	uniper
2 to 2½ ft B. & B	1.10	.95	.75
2½ to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B	2.25	1.90	1.50 2.25
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.10		
— albovariegata (Argentea),			
		Chinese J	uniper
12 to 15 in., B. & B	.60	.50	.40
15 to 18 in., B. & B	.75		.50
18 to 24 in., B. & B	1.00		.65 .80
2 to 2½ ft., B. & B 2½ to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B	2.25	1.90	1.50
— — columnaris (pyramidalis),	15′-20)′	
Blue Colun	nnar		
18 to 24 in., B. & B	.90	.75	.60
2 to 3 ft., B. & B	1.45 2.25		· .95
3 to 4 ft., B. & B	0.00	2.75	2.20
5 to 6 ft B. & B	4.20	3.50	2.80
6 to 7 ft., B. & B	5.60	4.75 6.00	3.75 5.00
7 to 8 ft., B. & B 8 to 10 ft., B. & B	7.50 9.00	7.50	6.00
0 to 10 1t., D. & D		,	

JUNIPERUS—continued		Price in Qua	
	1-4	5-24	25-249
— chinensis columnaris viridis, 15		Y1. *	- •
Green Colu			_
18 to 24 in., B. & B	.75	.60	.50
2 to 3 ft., B. & B	1.10		.75
0 00 1 101, 251 00 251	1.90		1.25 1.75
4 to 5 ft., B. & B	2.00		2.25
5 to 6 ft., B. & B	3.40 4.50	3.75	
7 to 8 ft., B. & B			
· ·			laadan
·		teleer Red	
18 to 24 in., B. & B	.90		.60
·	1.45		.95
3 to 4 ft., B. & B			1.50 2.20
5 to 6 ft., B. & B.			2.80
6 to 7 ft., B. & B.			
— neaboriensis, 7'-8' Con			uniper
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B	1.00		
— — pfitzeriana, 5'-6'		Pfitzer J	uniper
12 to 15 in., B. & B	1.10	.95	.75
		1.25	
,	2.25		
2 to 2½ ft., B. & B	3.00	2.50	
2½ to 3 ft B. & B	3.75	3.00	2.50
3 to 4 ft., B. & B	4.50		3.00
7	6.00		4.00
5 to 6 ft., B. & B			ninan
sargenti (green), 1½'		Sargent Ju	uniper
9 to 12 in., B. & B.	.75		
12 to 15 in., B. & B.	1.25		
15 to 18 in., B. & B	1.90 2.40	2.00	
		Chinese J	niper
,	.90	.75	
- · · · · · · · · · · · · · · · · · · ·	1.20		
2½ to 3 ft., B. & B	1.80		
sylvestris (oblonga) 8'-10'	1.00	1.00	
	.60	.50	
18 to 24 in., B. & B 2 to 3 ft., B. & B.	.90		
	1.50		
4 to 5 ft., B. & B	0.40		
— communis, 15'-25'		ommon Ji	ıniper
18 to 24 in., B. & B	1.00	.80	
2 to 3 it., B. & B		1.50	
3 to 4 ft., B. & B	2.70	2.25	
— communis aurea, 6'-10'		Golden Ju	uniper
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B.		1.00	.80
2 to 2½ ft., B. & B	1.50		1.00
2½ to 3 ft., B. & B			
—— canadensis, 5'-6'		Canada J	
18 to 24 in., B. & B.		.80	
2 to 2½ ft., B. & B	1.60	1.20	
2½ to 3 ft., B. & B	2.00	1.60	
	2.75	2.25	

JUNIPERUS—continued		Price in Qu 5-24	
— — cracovica, 20'-30'		Polish .	Juniper
2 to 2½ ft., B. & B	1.50		1.00
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
5 to 6 ft., D. & D	0.40	2.00	2.20
— — hibernica, 20'-30'		Irish .	Juniper
15 to 18 in., B. & B	.45	.37	
18 to 24 in., B. & B	.70	.55	
2 to $2\frac{1}{2}$ ft., B. & B	.90	.75	
2½ to 3 ft., B. & B	1.10	.95	
3 to 4 it., B. & B.	1.50		1.00
4 to 5 tt., B. & B	2.25	1.90	1.50
5 to 6 it., B. & B		2.50	
6 to 7 ft., B. & B	4.50	3.75	3.00
— — suecica, 20'-30'		Swedish	Juniper
,	.75		
2 to 2½ ft., B. & B		.75	
2½ to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B	2.00	2.50	
4 to 5 ft., B. & B	3.00	2.50	2.00
, -		wedish .	_
18 to 24 in., B. & B	1.00	.00	
2½ to 3 ft., B. & B	1.00	1 10	
3 to 3½ ft B. & B	2.00	1.75	
5 to 5/2 it. B. & B	2.00	1., 0	
		Greek	_
12 to 15 in., B. & B			.50
	1.10		
	1.50		
,		1 60	
2 to 2½ ft., B. & B	1.90		
2 to 2½ ft., B. & B	1.90 2.25	1.90	1.50
2 to 2½ ft., B. & B	1.90 2.25 2.60	1.90 2.20	1.50 1.75
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30	1.90 2.20 2.75	1.50 1.75
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30	1.90 2.20 2.75	1.50 1.75
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50	1.90 2.20 2.75 3.75	1.50
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50	1.90 2.20 2.75 3.75 1½' Creepin	1.50
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50	1.90 2.20 2.75 3.75 1½' Creepin .40	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 .), 1'-	1.90 2.20 2.75 3.75 1½' Creepin .40 .50	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .50 .60 1.00	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .50 .60 1.00	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. — horizontalis (sabina prostrata 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum	1.90 2.25 2.60 3.30 4.50 4.50 .), 1'- .50 .60 1.00 1.35	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading	1.50 1.75 —— g Savin —— Juniper
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 ., 1'- .50 .60 1.00 1.35 ned Sp .70	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .), 1'- .50 .60 1.00 1.35 ned Sp .70 .90	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. — horizontalis (sabina prostrata 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.90 2.25 2.60 3.30 4.50 4.50 ., 1'- .50 .60 1.00 1.35 ned Sp .70 .90 1.20	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .0, 1'- .50 .60 1.35 ned Sp .70 .90 1.20 1.50	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. — horizontalis (sabina prostrata 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.90 2.25 2.60 3.30 4.50 .), 1'- .50 .60 1.00 1.35 ned Sp .70 .90 1.50 2.25	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.90 2.25 2.60 3.30 4.50 4.50 .), 1'- .50 .60 1.35 ned Sp .70 .90 1.20 1.50 2.25 2.85	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90 2.35	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 ., 1'- .50 .60 1.35 ned Sp .70 .90 1.20 1.50 2.25 2.85	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90 2.35	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .60 1.00 1.35 1.20 1.20 1.50 2.25 2.85 Wa	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90 2.35	1.50 1.75
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .0, 1'- .50 .60 1.35 aed Sp .70 .90 1.20 1.50 2.25 2.85 Wa .90	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90 2.35 ukegan .50 .75	1.50 1.75 ————————————————————————————————————
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .0, 1'- .50 .60 1.35 1.20 1.50 2.25 2.85 Wa .60 .90 1.25	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90 2.35 ukegan .50 .75 1.00	1.50 1.75
2 to 2½ ft., B. & B	1.90 2.25 2.60 3.30 4.50 4.50 .0, 1'- .50 .60 1.35 1.20 1.50 2.25 2.85 Wa .60 .90 1.25	1.90 2.20 2.75 3.75 1½' Creepin .40 .50 .80 1.00 reading .55 .75 1.00 1.25 1.90 2.35 ukegan .50 .75	1.50 1.75 ————————————————————————————————————

JUNIPERUS—continued		Price in Qua	
	1-4		25-249
— glauca, 1'-1½'		Creeping	
15 to 18 in., B. & B.	.0()	.70	
18 to 24 in., B. & B	1.20	1.25	
2 to 2½ ft., B. & B.		1.75	
2½ to 3 ft., B. & B.		Hudson Ju	
— hudsonica, 1'-1½'	0.0		
15 to 18 in., B. & B		1.00	
18 to 24 in., B. & B		1.50	
2½ to 3 ft., B. & B	2 40	2.00	
— japonica, 6'-8'		apanese J	uniper
12 to 15 in., B. & B			
15 to 18 in., B. & B.			.75
18 to 24 in., B. & B.		1.25	1.00
2 to 2½ ft., B. & B.			1.25
2½ to 3 ft., B. & B.	2.60		1.75
3 to 3½ ft., B. & B.		3.00	
— — aurea variegata, 5'-6' Va			
18 to 24 in., B. & B.	1.25	1.00	
2 to 2½ ft., B. & B	2.00	1./5	
2½ to 3 ft., B. & B	2./5		
— sabina, 6'-7'	~-	Savin J	_
12 to 15 in., B. & B		.60	.50
15 to 18 in., B. & B.		.95 1. 25	
18 to 24 in., B. & B			1.25
2½ to 3 ft., B. & B			
3 to 3½ ft., B. & B			
3½ to 4 ft., B. & B.			3.00
— squamata meyeri, 3'-4'		Meyer J	uniper
12 to 15 in., B. & B	90	.75	.60
/ 15 to 18 in., B. & B	1.50		1.00
18 to 24 in., B. & B.			1.50
2 to 2½ ft., B. & B			2.00
2½ to 3 ft., B. & B			
3 to 3½ ft., B. & B	4.50		dcedar
- virginiana, 35'-50'	2.50		uceuai
5 to 6 ft., B. & B.			
6 to 7 ft., B. & B		4.50	
8 to 10 ft., B. & B.			
10 to 12 ft., B. & B	10.00	9.00	
— — burki, 10'-12'		Burks J	uniper
2 to 2½ ft., B. & B.	90	.75	
2½ to 3 ft., B. & B.			
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	. 3.00	2.50	
5 to 6 st., B. & B.			
6 to 7 ft., B. & B			
7 to 8 ft., B. & B		5.50 7.50	_
cannarti, 12'-15'		annart Re	
,			
18 to 24 in., B. & B		95 1.25	
2½ to 3 ft., B. & B	2.2		
3 to 4 ft., B & B.			2.00
4 to 5 ft., B. & B.			3.00
5 to 6 ft., B. & B.			4,50

JUNIPERUS—continued	Unit P	rice in Qu	antities
JONII ENCS—continued	1-4	5-24	25-249
— elegantissima, 12'-15'		ldtip Re	dcedar
18 to 24 in., B. & B		.95	
2 to 2½ ft., B. & B			
3 to 4 ft., B. & B	3.00	2.50	2.00
4 to 5 ft., B. & B	4.50	3.75	3.00
— glauca, 15'-20'		lver Re	
18 to 24 in., B. & B	.90	.75 1.00	.60
2½ to 3 ft., B. & B	1.80	1.50	.80 1.20
3 to 4 ft., B. & B.	2.25		1.50
4 to 5 ft., B. & B			2.25
6 to 7 ft., B. & B.			
Specimens up to 17 ft	1.50 pe	er ft.	
——— globosa, 3'-4'	G	lobe Re	dcedar
2 to 2½ ft., B. & B			
— — pyramidalis, 35'-50'		idal Red	dcedar
18 to 24 in., B. & B.	1.20	1.00	.80
2 to 2½ ft., B. & B.	1.80	1 50	
2½ to 3 ft., B. & B			
—— schotti, 12'-15'		hott Red	lcedar
18 to 24 in., B. & B.			
2 to 2½ ft., B. & B	1.90	1.50	1.25
2½ to 3 ft., B. & B	2.60 3.75	2.20	1.75 2.50
4 to 5 ft., B. & B.			
· · · · · · · · · · · · · · · · · · ·			
,		_	
KALMIA angustifolia, 7'-8'	1.00		mbkill
18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.90 2.40	2.00	
— latifolia, 8'-10'		ountain-	
15 to 18 in., B & B.	1.10	.95	.75
18 to 24 in., B. & B.	1.50	1.25	
2 to 2½ ft., B. & B	2.25 3.40	2.80	1.50 2.25
3 to 3½ ft., B. & B.			
KERRIA japonica, 4'-5']	Kerria
12 to 18 in	.37	.30	
18 to 24 in	.52	.45	.35
KOELREUTERIA paniculata, 25	5′-30′	Varni	shtree
2 to 3 ft	.52	.45	
3 to 4 ft		.60 .95	.50 .75
5 to 6 ft.	1.50	1.25	
KOLKWITZIA amabilis, 6'-8'		Beaut	ybush
18 to 24 in	.22	.20	.15
2 to 3 ft		.30	
4 to 5 ft.	.50 .75	.40 .60	.35 .45

of T lo	Unit Pr 1-4	ice in Quant 5-24 2	ities 5-249
			
LABURNUM vulgare, 25'-30'		Goldeno	hain
18 to 24 in	.45 .60	.37 .50	
2 to 3 ft	.90	.75	
4 to 5 ft	1.25	1.00	<u> </u>
LARIX europaea (decidua), 50'-6	30' E	uropean I	arch
2 to 3 ft., B. & B	1.10	.95	.75 1.25
3 to 4 ft., B. & B 4 to 5 ft., B. & B	1.90 2.60	1.50 2.20	1.25
5 to 6 ft., B. & B	4.00	3.50	2.50
6 to 8 ft., B. & B	5.25 7.50	4.40 6.25	3.50 5.00
8 to 10 ft., B. & B	10.50	8.25	7.50
12 to 14 ft., B. & B	15.00	12.50	10.00
— leptolepis (kaempferi), 50'-60'		Japanese J	
6 to 8 ft., B. & B	5.25 7.50	4.40 6.25	
8 to 10 ft., B. & B		8.25	7.50
12 to 14 ft., B. & B	15.00	12.50	10.00
LESPEDEZA bicolor, 8'-10'	Shi	rub Busho	clover
1 year	.22	.20	
2 year	27	.25	.25
3 year			
— formosa (Desmodium pendulis	norum Pur), ple Bush	clover
8'-10'	22	.20	
1 year2 year	.30	.25	.20
3 year	.37	.30	.25
LEUCOTHOE catesbaei, 3'-4'		ping Leue	
12 to 15 in., B. & B	.75	.60	
15 to 18 in., B. & B	1.10	.93	1.00
2 to 2½ ft., B. & B			
LIBOCEDRUS decurrens, 60'-75	,	Incense	Cedar
3 to 4 ft., B. & B	3.00		
4 to 5 ft., B. & B	4.25		
5 to 6 ft., B. & B 6 to 7 ft., B. & B.			
		Bigberry	Privet
LIGUSTRUM acuminata 18 to 24 in	15	.12	.09
2 to 3 ft	18	.15	.12
3 to 4 ft	27		
4 to 5 ft	33		
— amurense, 14'-15'	06		Privet .04
18 to 24 in	06 09		.06
3 to 4 ft	15	.12	.10
4 to 5 ft			

	Unit F	rice in Qua 5-24	intities 25-249
— ibolium, 8'-10'		Ibolium	_
12 to 18 in	.05	.04	.03
18 to 24 in	.08	.06	.05
2 to 3 ft	.11	.09	.07
3 to 4 ft	.15	.12	.09
— ibota, 9'-10'	.18	.15	.12
	00		Privet
12 to 18 in. 18 to 24 in.	.08 .12	.06 .10	.05
2 to 3 ft	.12	.10	.08
3 to 4 ft	.22	.20	.16
4 to 5 ft	.37	.30	.25
—— regelianum (cuttings), 5'-	6′	Regal	Privet
12 to 15 in.	.15	.12	.10
15 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 2½ ft	.45	.37	.30
vicary, 8'-10'	.70	.55	.45
		n Ibota	
18 to 24 in	.25	.20	.15
3 to 4 ft	.30 .40	.25 .35	.20
— lucidum (macrophyllum), 20'.		Glossy	
15 to 18 in., B. & B.	.37	.30	.25
18 to 24 in., B. & B.	.52	.45	.25
2 to 3 ft., B. & B	.75	.60	.50
— ovalifolium, 12'-15'	00	lifornia	Privet
Heavy 2 and 3 yr. cut back stoc	k.		
12 to 18 in	.04	$.02\frac{1}{2}$.02
18 to 24 in	.05	.04	.03
2 to 3 ft	.06	.05	.04
4 to 5 ft.	.09	.07	.06
— ovalifolium aureum, 8'-9'	.18	.15 Golden	.12
12 to 18 in	1.0		
18 to 24 in.	.18 .22	.15 .20	.12
2 to 3 ft	.30	.25	.20
	.00	.20	.20



Ligustrum ovalifolium (California Privet) is uniformly heavy, having been cut back after the first year.

LIGUSTRUM—continued	Unit Price in Quantities		
	1-4		25-249
— vulgare, 10'-12'		European	Privet
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25
5 to 6 ft	.45	.35	
*LIQUIDAMABAR styraciflua, 50	'-60'	Swe	etgum
4 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
8 to 10 ft., 1½ to 2 in	3.75	3.00	2.50
10 to 12 ft., 2 to 2½ in	4.50		
10 to 12 ft., 2½ to 2½ in	5.25		
*LIRIODENDRON tulipifera, 60'-	80'	Tu	liptree
	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft.	1.90	1.50	1.25
8 to 10 ft., 1½ to 1½ in	2.25	1.90	1.50
10 to 12 ft., 1½ to 1¾ in	2.60	2.20	1.75
12 to 14 ft., 13/4 to 2 in	3.40	2.80	
12 to 14 ft., 2 to 2½ in	4.10	3.50	2.75



Liquidamabar styraciflua—Note exceptionally fine fibrous root system and well formed head.

	Unit Pric	e in Qua	ntities
	1-4	5-24	25-249
LONICERA bella albida, 8'-9'	te Belle	Hones	rgueklo
2 to 3 ft	.18	.15	.12
3 to 4 ft	.25	.20	.16
4 to 5 ft	.37	.30	.25
5 to 6 ft	.52	.45	
6 to 7 ft		.55	.45
— fragrantissima, 6'-8'	Winter		
18 to 24 in	.15	.12	.10
2 to 3 ft	.22 .30	.20 .25	
4 to 5 ft	.45	.37	.30
5 to 6 ft	.70	.55	
— japonica, 15'-20' J	apanese	Honey	suckle
2 year		.12	.10
3 year	.22	.20	.15
4 year	.30	.25	.20
— — halliana, 15'-25' Hall J	apanese	Honey	suckle
1 year, 2½ in. pots		.07	.06
2 year	.18	.15	
3 year	.22	.20	.14
— maacki, 8′-9′		Honey	suckle
2 to 3 ft		.25	.20
3 to 4 ft		.37	
4 to 5 ft		.50 .60	.40 .50
— — podocarpa, 8'-9'			suckle
18 to 24 in		.25	.20
2 to 3 ft	7.7	.30	· · · · · ·
3 to 4 ft		.45	
4 to 5 ft	.70	.55	.45
— morrowi, 7'-8'	Morrow	Honey	suckle
18 to 24 in		.12	.10
2 to 3 ft		.20	
3 to 4 ft		.25	.20
— nitida, 3'		·	suckle
6 to 9 in., 3 in. pots		.20	
9 to 12 in., 4 in. pots		.40	
15 to 18 in., 6 in. pots		.50	
— pileata, 1½'-2'		Hone	ysuckle
6 to 9 in., 3 in. pots	30	.25	
9 to 12 in., 4 in. pots		.35	
— ruprechtiana, 8'-9' Mar	nchurian	Hone	ysuckle
2 to 3 ft		.15	.12
3 to 4 ft		.20	.16
4 to 5 ft		.30 .37	.25
5 to 6 ft			
— sempervirens punicea Ora		.30	.25
3 year		.37	.30
5 year		.45	.35
•	•		

LONICERA—continued		ce in Qua	
- tatarica, Pink and White, 9'-10'		J-2 4	ZJ-Z 4 9
T	atarian	Honey	suckle
18 to 24 in	.15	.12	.10
2 to 3 ft	.20	.17	.14
3 to 4 ft	.27 .37	.22	.18
5 to 6 ft	.37	.37	.45
	. 10	.07	
— pulcherrima, 9'-10'	, .		
Bright Red T		•	
18 to 24 in 2 to 3 ft	.25 .30	.20 .25	.15
3 to 4 ft	.37	.30	
4 to 5 ft	.52	.45	.35
xylosteum, 9'-10' Europe	ean Fly	Honey	guekla
2 to 3 ft		.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft			.25
I WOITIN chinenge 40/40/ Ohio	noso Ma	. +	win a
LYCIUM chinense, 10'-12' Chin			
18 to 24 in	.09 .15	.07 .12	. 06 .10
3 to 4 ft	.22	.20	.15
-€{ M }♣			
MAGNOLIA conspicua, 40'-50'	Yu	lan Ma	gnolia
2 to 3 ft., B. & B			
3 to 4 ft., B. & B			
	7.50		
— glauca, 15'-20'	77 F		eetbay
18 to 24 in., B. & B	.75 1.10	.60 .95	.50 .75
3 to 4 ft., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B	3.00	2.50	
5 to 6 ft., B. & B	3.90	3.25	
6 to 8 ft., B. & B	5.00	4.25	Company of the Control of Control
— kobus, 20'-30'	Ko	bus Ma	gnolia
2 to 3 ft., B. & B	1.25	1.00	
3 to 4 ft., B. & B	2.00	1.60	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	2.50 3.50	2.00 2.75	
6 to 8 ft., B. & B	5. 00	4.00	
8 to 10 ft., B. & B			
— macrophylla, 25'-40'	Bigi	leaf Ma	gnolia.
5 to 6 ft., B. & B	4.25		
6 to 8 ft., B. & B	6.00		
8 to 10 ft., B. & B	7.50		
— soulangeana, 15'-18'	Saı	icer Ma	gnolia
18 to 24 in., B. & B	.75	.60	.50
2 to 3 ft., B. & B		.95	
3 to 4 ft., B. & B	2.25 3.75	1.90 3.00	
4 to 5 ft., B. & B	5.25	4.40	2.50 3.50
6 to 8 ft., B. & B	6.75	5.50	4.50



Magnolia soulangeana and varieties. See also our heavy specimen in a complete selection.

MAGNOLIA—continued	Unit P	rice in Qu	antities 25-249
— — alba superba, 15'-18' La	arge Sa	ucer Ma	agnolia
2 to 3 ft., B. & B			
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
— — alexandrina, 15'-18'			agnolia
2 to 3 ft., B. & B			_
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
— — lennei, 15'-18'	Le	enne Ma	gnolia
2 to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.75	3.00	2.50
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	6.75	5.50	4.50
— — rustica, 15'-18' Pu	rple Sa	ucer Ma	agnolia
2 to 3 ft., B. & B	2.40	2.00	
3 to 4 ft., B. & B	3.75	3.00	
4 to 5 ft., B. & B			
— stellata, 8'-10'		Star Ma	gnolia
18 to 24 in., B. & B	1.90	1.50	1.25
2 to 2½ ft., B. & B		2.20	
2½ to 3 ft., B. & B		3.00	2.50
3 to 4 ft., B. & B			3.50
4 to 5 ft., B. & B			5.00
5 to 6 ft., B. & B			6.50
— tripetala, 30'-40'	Umbi	ella Ma	gnolia
4 to 5 ft	1.35	1.10	.90
5 to 6 ft			1.35
6 to 8 ft		2.20	
8 to 10 ft		3.00	
MAHONIA aquifolium, 4'-5'	Oreg	on Holl	vgrape
12 to 15 in., B. & B		.55	
15 to 18 in., B. & B.	1 10	.95	
	1.10	1.25	
2 to 2½ ft. B. & B.	2.25		

		Price in Qua	
MALUS arnoldiana, 8'-10'	1-4	5-24	25-249
4 to 5 ft	.60	.50	d Crab
5 to 6 ft.,	.90	.75	
6 to 8 tt	1.25	1.00	
8 to 10 ft	2.00	1.75	
— atrosanguinea, 10'-15'		Carmin	e Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft. 5 to 6 ft.,	1.10 1.50	.95 1.25	.75
6 to 8 ft	2.25	1.25	1.00 1.50
8 to 10 ft	3.00	2.50	
— baccata, 20'-25'		Siberiar	Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50 2.10	1.25 1.75	1.00
8 to 10 ft	3.00	2.50	
— — mandshurica, 20-25'		anchurian	Crah
3 to 4 ft	.70		
4 to 5 ft.	1.00	.75	
5 to 6 ft	1.50		
— coronaria, 15'-20'		Vild Sweet	Crab
3 to 4 ft	.75	.60	.50
5 to 6 ft	1.10 1.50	.95 1.25	.75
6 to 8 ft	2.10	1.75	
8 to 10 ft	3.00	2.50	
— eleyi, 15'-20'		Eley	Crab
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.20	1.00 1.25	
— floribunda, 10'-15' Japa			
3 to 4 ft	1.10	.60 95	.50
5 to 6 ft	1.50	1.25	1.00
6 to 8 tt	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	
— purpurea, 10'-15'		Purple	
4 to 5 ft	1.10	.60 .95	.50
	1.90		
8 to 10 ft	2.70	2.25	
	3.75	3.00	
— halliana parkmani, 10'-15'		Parkman	
3 to 4 ft. 4 to 5 ft.	1.10	.95	.75
5 to 6 ft	2.00	1.25 1.75	1.00
6 to 8 ft	3.00	2.50	
— hoppi, 12'-15' Нора	Red H	Flowering	Crab
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.90 3.00	1.50 2.50	1.25
10 to 12 ft.	3.90	3.25	

	Unit Pr	rice in Quan	tities
MALUS—continued	1-4	· · · · · · · · · · · · · · · · · · ·	25-249
— ioensis plena, 10'-15'		Bechtel	Crab
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50 2.10	1.25 1.75	1.00
5 to 6 ft	3.00	2.50	
— micromalus, 15'	0.00	2.00	
4 to 5 ft	.90	.75	
5 to 6 ft	120	1.00	
6 to 8 ft	1.75		
8 to 10 ft	2.50 3.25		
10 to 12 ft	3.23	Redvein	Crah
- niedzwetzkyana, 15'-25'	.75	.60	.50
4 to 5 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.70	2.25	1.75
10 to 12 ft	3.75	3.00	2.50
- Oekonomierat Echtermeyer, 1			
3 to 4 ft	.75		
4 to 5 ft	1.00		
5 to 6 ft	1.50 2.00		
8 to 10 ft	3.00		
— pumila pendula, 10'-15'		Weeping	crab
2 to 3 ft. stem, 2 yr. head	1.00		
3 to 4 ft stem, 3 yr. head	1.35		
4 to 5 ft. stem, 4 yr. head	1.75		
— sargenti, 6'-8'	0.0	Sargen	
2 to 3 ft	.90	.75 1.10	.60 . 90
3 to 4 ft	1.90	1.50	
5 to 6 ft			1.75
— scheideckeri, 10'-15'		heidecke	r Crab
3 to 4 ft	.75		
4 to 5 ft	4 44 6		
5 to 6 ft			1.50
8 to 10 ft.	3.40	2.80	2.25
— spectabilis, 15'-20'	inese	Flowerin	g Crab
3 to 4 ft	.75		.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft		1.25	1.00
6 to 8 ft	2.23		a Crab
3 to 4 ft	.90	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	4 24 0	1.25	
MITCHELLA repens, 6"-8"]	Partridge	Berry
2 in. pots	.15	.12	.10
MORUS alba, 35'-50'		White Mu	lberry
6 to 8 ft	.75		
8 to 10 ft	1.10	.95	.75
10 to 12 ft		1.25	
MYRICA carolinensis, 4'-5'		thern Ba	
15 to 18 in		.37	
18 to 24 in		.50 .60	.40
2 to 2½ ft	/ 3	.00	.50

	Jnit I 1-4	Price in Qua 5-24	antities 25-249
NANDINA domestica, 4'-6'		N:	andina
12 to 15 in	.35	• • • • • • • • • • • • • • • • • • • •	
15 to 18 in.	.50		
18 to 24 in	.75		
2 to 3 ft., B. & B	1.00		
	1.00	~	
*NYSSA sylvatica, 40'-60'			urgum
2 to 3 ft	.60	.50	
3 to 4 ft	.90	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
— —₩ O }*			
OSMANTHUS aquifolium, 3'-4'	Н	olly Osma	nthus
9 to 12 in., own roots. 3 in. pots		.5()	
15 to 18 in., own roots, 6 in. pots	.90	.75	
	• > 0		,
OSTRYA virginiana, 25'-30'		Hophor	nbeam
5 to 6 ft	1.90	1.50	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.25	3.50	
OXYDENDRUM arboreum, 25'-30)′	Sou	rwood
2 to 3 ft., B. & B	.75	.60	.50
3 to 4 ft., B. & B.	1.10	.95	.75
4 to 5 ft., B. & B.	1.50	1.25	
5 to 6 ft., B. & B.	2.10	1.75	
6 to 7 ft., B. & B.	3.00	2 50	
7 to 8 ft., B. & B	3.90	3.25	
PACHYSANDRA terminalis, 6"-8'	" J	apanese (Spurge
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown	.10		
PACHYSANDRA terminalis, 6"-8"	.10 5′-30′	.08	.06
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25	.10 5′-30 ′ Ch	.08 ine se Co	.06 orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft.	.10 5'-30' Ch 2.50	.08 inese Co	.06 orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft.	.10 5'-30' Ch 2.50 3.00	.08 inese Co 2.00 2.50	.06 orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft.	.10 5'-30' Ch 2.50 3.00 4.25	.08 inese Co 2 00 2.50 3.50	.06 orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. Lavallei	.10 5'-30' Ch 2.50 3.00 4.25 La	.08 inese Co 2 00 2.50 3.50 avelle Co	.06 orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. Lavallei 5 to 6 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La	.08 dinese Co 2.00 2.50 3.50 avelle Co 1.00	.06 orktreeorktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. Lavallei 5 to 6 ft. 6 to 8 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80	.08 inese Co 2.00 2.50 3.50 avelle Co 1.00 1.50	.06 orktreeorktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40	.08 inese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00	.06 orktree orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5'	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock	.06 orktree orktree orktree
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mocke .20	.06 orktree orktree orange .14
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22	.08 inese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mocke20	.06 orktree orktree orange .14
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — banniere	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22 .27	.08 inese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22	.06 orktree orktree orange .14 .18
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — banniere 2 to 3 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 Dwa .22 .27	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22	.06 orktree orktree orange .14 .18
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — banniere 2 to 3 ft. 3 to 4 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22 .27	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22	.06 orktree orktree orange .14 .18 .20 .25
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — banniere 2 to 3 ft. 3 to 4 ft. — Bouquet blane, 4'-5' White	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 Dwa .22 .27 .30 .37 Bouqu	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 det Mock	.06 orktree orktree orange .14 .18 .20 .25 orange
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — banniere 2 to 3 ft. 3 to 4 ft. — Bouquet blanc, 4'-5' White 18 to 24 in.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22 .27	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 det Mock .22	.06 orktree orktree orange .14 .18 .20 .25 orange .16
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blane, 4'-5' White 18 to 24 in. 2 to 3 ft. — Bouquet blane, 4'-5' White	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 Dwa .22 .27 .30 .37 Bouqu .27 .33	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 det Mock .22 .27	.06 orktree orktree orange .14 .18 .20 .25 orange .16 .22
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — Bouquet blanc, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22 .27 .30 .37 Bouqu .27 .33 .52	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 det Mock .22 .27 .45	.06 orktree orktree orange .14 .18 .20 .25 orange .16 .22 .35
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — banniere 2 to 3 ft. 3 to 4 ft. — Bouquet blane, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10'	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22 .27 .30 .37 Bouqu .27 .33 .52 Swe	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 det Mock .22 .27 .45 eet Mock	.06 orktree orange .14 .18 .20 .25 orange .16 .22 .35 orange
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — Bouquet blane, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10' 2 to 3 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 ' Dwa .22 .27 .30 .37 Bouqu .27 .33 .52 Swe .18	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 det Mock .22 .27 .45 eet Mock .15	.06 orktree orange .14 .18 .20 .25 orange .16 .22 .35 orange .12
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — Bouquet blane, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10'	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 Dwa .22 .27 .30 .37 Bouqu .27 .33 .52 Swe .18 .27	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 atet Mock .22 .27 .45 atet Mock .15 .22	.06 orktree orange .14 .18 .20 .25 orange .16 .22 .35 orange .12 .16
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 25 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — Bouquet blane, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 Dwa .22 .27 .30 .37 Bouqu .27 .33 .52 Swe .18 .27	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 atet Mock .22 .27 .45 atet Mock .15 .22	.06 orktree orange .14 .18 .20 .25 orange .16 .22 .35 orange .12
PACHYSANDRA terminalis, 6"-8' 2 in. pot grown PHELLODENDRON chinense, 23 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — Bouquet blane, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. — coronarius, 9'-10'	.10 5'-30' Ch 2.50 3.00 4.25 La 1.25 1.80 2.40 Dwa .22 .27 .30 .37 Bouqu .27 .33 .52 Swe .18 .27	.08 dinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 arf Mock .20 .22 .25 .30 atet Mock .22 .27 .45 atet Mock .15 .22	.06 orktree orange .14 .18 .20 .25 orange .16 .22 .35 orange .12 .16

PHILADELPHUS—continued	Unit Pric	e in Qua 5-24	
——————————————————————————————————————	oldenleaf	Mocke	orange
12 to 15 in		.25	.20 .25
	• -		
grandiflorus, 7'-8' Big S			
2 to 3 ft		.20 .22	.14 .18
3 to 4 ft			.25
5 to 6 ft		.45	.35
— laxus	Orooping	Mocke	orange
2 to 3 ft		.20	.15
3 to 4 ft		.25	
4 to 5 ft	.37	.30	.25
lemoine, 7'-8'	Lemoine	e Mock	orange
18 to 24 in		.20	.14
2 to 3 ft		.22	
3 to 4 ft		.30	
— lewisi		s Mock	orange
2 to 3 ft		.20	
3 to 4 ft	~ =	.25 .30	
4 to 5 ft			
— maximus, 7'-8' Large F	- ^		
2 to 3 ft		.25 .30	.20 .25
3 to 4 ft		.37	.30
	nowbank 20		_
2 to 3 ft		.25	
4 to 5 ft			
— pekinensis, 6'	Peking	g Mock	orange
2 to 3 ft	30	.25	.20
3 to 4 ft	37	.30	.25
4 to 5 ft	45	.37	.30
pubescens, 7'-8'	Hoar	y Mock	orange
2 to 3 ft	22	.20	15
3 to 4 ft		.25	
4 to 5 ft	3/	.30	.25
— purpurascens, 7'-8'			
2 to 3 ft		.20	.15
3 to 4 ft		.25	.20 .25
4 to 5 ft	37	.50	.=0
— verrucosus, 8'-10'	20	٥.	20
2 to 3 ft		.25 .30	
3 to 4 ft		.37	.30
	Virgina		
18 to 24 in 2 to 3 ft	27		.18
3 to 4 ft		.45	
PHOTINA villosa, 10'			
4 to 6 ft		.95	.75
6 to 8 ft		1.25 1.50	1.00
0 to 10 it	1.70	1.50	1 23

	Unit 1-4	Price in Qu	antities 25-249
PHYSOCARPUS opulifolius, 9'-10		, , , ,	inebark
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.18 .22 .30 .37	.15 .20 .25 .30	.12
— — aureus, 9'-10'	Go	ldleaf Ni	inebark
2 to 3 ft	.18 .22 .30 .37	.15 .20 .25 .30	.12 .15 .20 .25
PICEA canadensis (alba), 50'-60	,	White	Spruce
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	1.90 3.00 4.00	.60 .95 1.50 2.50 3.50 5.00	.50 .75 1.25 2.00 2.75
— canadensis glauca conica, 4'-6		A 33	~
12 to 15 in., B. & B	1.25 1.75 3.00		Spruce
— engelmanni, 75'-100'	En	gelmann	Spruce
— engelmanni, 75'-100' 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.90 2.75 3.50 4.50	.90 1.50 2.25	.75 1.25 ————————————————————————————————————
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.90 2.75 3.50 4.50	.90 1.50 2.25	.75 1.25 ————————————————————————————————————
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.90 2.75 3.50 4.50	.90 1.50 2.25 Norway .45 .60 .95 1.25 2.20 3.00	.75 1.25 ————————————————————————————————————
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2 to 3 ft. B. & B. 2 to 3 ft. B. & B. 3 to 4 ft B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	1.10 1.90 2.75 3.50 4.50 5.75 .50 .75 1.10 1.50 2.60 3.75 6.00 9.00	.90 1.50 2.25 Norway .45 .60 .95 1.25 2.20 3.00 5.00 7.50	.75 1.25 Spruce .35 .50 .75 1.00 1.75 2.50 4.00 6.00
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2 to 3 ft. B. & B. 2 to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.10 1.90 2.75 3.50 4.50 5.75 .50 .75 1.10 1.50 2.60 3.75 6.00 9.00	.90 1.50 2.25 Norway .45 .60 .95 1.25 2.20 3.00 5.00 7.50 Norway 1.50 2.00 2.75 3.50	.75 1.25 Spruce .35 .50 .75 1.00 1.75 2.50 4.00 6.00
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2 to 3 ft. B. & B. 2 to 3 ft. B. & B. 3 to 4 ft B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 8 to 10 ft., B. & B. 2½ to 3 ft., B. & B. 4 to 5 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. 18 to 2½ ft., B. & B. 19 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.90 2.75 3.50 4.50 5.75 .50 .75 1.10 1.50 2.60 3.75 6.00 9.00 nidal 1.90 2.40 3.30 4.10 5.25	.90 1.50 2.25 Norway .45 .60 .95 1.25 2.20 3.00 5.00 7.50 Norway 1.50 2.00 2.75 3.50	.75 1.25 1.25 Spruce .35 .50 .75 1.00 1.75 2.50 4.00 6.00 Spruce

			
	Unit	Price in Qu	antities
PICEA—continued	1-4		25-249
— orientalis, 75'-100'		Oriental	Spruce
15 to 18 in., B. & B	.75	.60	.50 .75
18 to 24 in., B. & B	1.10 1.50	.95 1.25	1.00
2 to 2½ ft., B. & B	2.25		1.50
3 to 4 ft., B. & B	3.00		
4 to 5 ft., B. & B.	3.90		
, to o rai, si a si m			
— polita, 60'-75'	Ti	iger-tail	Spruce
12 to 15 in., B. & B	.60	.50	
15 to 18 in., B. & B.	.90		
18 to 24 in., B. & B.	1.20	1.00	
2 to 2½ ft., B. & B.	1.90	1.50	
— pungens, 60'-80'	C	olorado	Spruce
15 to 18 in., B. & B.	.60	.50	.40
18 to 24 m., B. & B.	.90	.75	.60
2 to 2½ ft., B. & B.	1.20	1.00	.80
2½ to 3 ft., B. & B.	1.50	1.25	1.00
3 to 4 ft., B. & B.	1.90	1.50	1.25
4 to 5 ft B. & B.	3.00 4.10	2.50 3.50	2.00 2.75
5 to 6 ft., B. & B.	6.00		4.00
6 to 8 ft., B. & B	10.00	8.00	6.50
8 to 10 It., B. & B	10.00	0.00	0.00
— pungens glauca, 60'-80'	Blue (Colorado	Spruce
	90	.75	60
15 to 18 in., B. & B	1.10		.75
2 to 2½ ft., B. & B	4 6 0	1.25	1.00
2½ to 3 ft., B. & B			1.59
3 to 4 ft., B. & B.	~	3.00	
4 to 5 ft., B. & B.	5.25	4.40	
5 to 6 ft., B. & B	6.75	5.50	
6 to 8 ft., B. & B.	8.50	7.00	5.50



PICEA—continued	Unit 1-4	Price in Qu 5-24	
— — kosteri, 60'-80'		ter Blue	
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	1.35 1.80 2.60 3.40 4.50 5.60 6.75 10.00 13.50	1.10 1.50 2.20 2.80 3.75 4.75 5.50 8.00 11.00 15.00	.90 1.20 1.75 2.25 3.00 3.75
PIERIS floribunda, 4'	Mount	ain Andr	omeda
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B.	2.60	1.50 2.20 2.80	1.25 1.75 2.25
— japonica, 5'-6'	Japan	ese Andr	omeda
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.75	2.50 3.00	2.00 2.50
PINUS banksiana, 60'-70'		Jac	k Pine
12 to 14 ft., B. & B	6.50 8.50		
— bungeana, 40'-50'		Lacebar	k Pine
6 to 9 in., 3 in. pots	.52	.45	
9 to 12 in., 3 in. pots	.75	.60	.50
— cembra, 35'-40'	S	wiss Ston	e Pine
12 to 15 in., B. & B	1.90	1.50	
15 to 18 in., B. & B	3.00	2.00 2.50	
5 to 6 ft	10.00		
— densiflora, 60'-80'	Jap	anese Re	d Pine
2 to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B	1.45	1.20	
4 to 5 ft., B. & B	2.90	1.60 2.40	
6 to 7 ft., B. & B	4.20	3.50	
— — umbraculifera (tanyosho)			
Ja	panese	Umbrell	a Pine
2 to 2½ ft., B. & B	1.90	1.50	
2½ to 3 ft., B. & B	2.50 3.50	2.00 2.75	
— excelsa, 30'-60'	Н	imalayar	Pine
18 to 24 in., B. & B	.90	.75	.60
2 to 3 ft., B. & B	1.50		
4 to 5 ft., B. & B.	2.40 3.60	2.00 2.85	1.60
5 to 6 ft., B. & B	4.90	4.05	

PINUS—continued	Unit 1-4	Price in Quai	ntities 25-249
— flexilis, 30'-40'		Limber	r Pine
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.50 2.25 5.50 7.00 9.00	.95 1.25 1.90 4.50 5.50	.75 1.00 1.50
montana, 10'	Swis	s Mountair	ı Pine
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B.	3.25	1.35 2.00	
— montana mughus, 3'-4'		Mugh	
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft. B. & B.	1.50 1.75 2.10 2.90 3.90		.75 1.00 1.25 ————————————————————————————————————
— nigra, 60'-70'		Austrian	n Pine
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.50 2.25 3.75 5.25 6.75 9.00	1.25 1.90 3.00 4.40 5.50 7.50	1.00
— resinosa, 60'-70'		Red	i Pine
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	.75 1.10 1.90 3.40 5.25 6 75 9.00 12.00	.60 .95 1.50 2.80 4.40 5.50 7.50 10.00	.50 .75 1.25 2.25 3.50 4.50 6.00 8.00
— strobus, 80'-100'		White	e Pine
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B.		.60 .95 1.50 2.80 4.40 5.00 7.00 10.00 12.50	.50 .75 1.25 2.25 3.50 4.50 6.00 8.00 10.00
— sylvestris, 25'-30'		Scotch	Pine
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	5.25 6.75 9.00	.95 1.50 2.80 4.40 5.50 7.50 10.00	.75 1.25 2.25 3.50 4.50 6.00 8.00

•	Haria	D.:- : O	
PINUS—continued		Price in Qu	
	1-4		
— thunbergi, 80'-100'	Japa	nese Bla	ck Pine
18 to 24 in		.75	
2 to 3 ft		1.25	
3 to 4 ft		1.75	
4 to 5 ft	3.00	2.50	
PLATANUS occidentalis, 75'-100'	,		
American Planetree or		rican Sy	camore
8 to 10 ft	1.50	1.25	1.00
8 to 10 ft., 1½ to 1½ in	2.25		
10 to 12 ft., 1½ to 1¾ in	3.00	2.50	2.00
— orientalis, 70'-80'		opean Pla	anetree
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.90	1.50	. 1.25
8 to 10 ft., 11/4 to 11/2 in	2.60	2.20	1.75
10 to 12 ft., 1½ to 1¾ in	3.00	2.50	
10 to 12 ft., 13/4 to 2 in	3.75	3.00	
12 to 14 ft., 2 to 2½ in	4.50		
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.25		
13 to 15 ft., $2\frac{1}{2}$ to 3 in	6.00		4.00
16 to 18 ft., 3 to 4 in			
18 to 20 ft., 4 to 5 in	15.00	12.50	
POLYGONUM auberti, 25'	C	hina Flee	ecevine
2 year, medium	.22	.20	.15
2 year, strong	.30	.25	.20
POPULUS bolleana, 50'-60'	1	Bolleana	Poplar
6 to 8 ft	.75	.60	.50
8 to 10 ft			.75
8 to 10 ft., 1½ to 1½ in	1.50	1.25	
10 to 12 ft., 1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft., 13/4 to 2 in	2.75	2.25	
12 to 14 ft., 2 to 2½ in		2.75	
— eugenei, 60'-80'		Carolina	Poplar
6 to 8 ft	.45	.37	.30
8 to 10 ft.	.60	.50	40
10 to 12 ft.	.85	.70	.55
12 to 14 ft	1.45	1.20	.95



Lombardy Poplar, Populus nigra italica as grown at Princeton

POPULUS—continued		ice in Qua 5-24	
— maximowiczii, 60'-80'	Jaj	panese	Poplar
		.95	~
10 to 12 ft		1.25	
12 to 14 ft	2.25	1.90	1.50
— nigra italica, 60'-80'	Lor	nbardy	Poplar
6 to 8 ft	.52	.45	.35
8 to 10 ft	.75	.60	.50
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		.90	
		1.10	
12 to 14 ft., 13/4 to 2 in		1.50	
14 to 16 ft., 2 to 2½ in	2.00	2.20	1.75
— simoni, 50'-60'		Simon	-
6 to 8 ft	.60	.50	
8 to 10 ft	.95	.75	
	1.20		.80
12 to 14 ft	1.50	1.25	1.00
POTENTILLA fruticosa, 3'-4'	Shrul	bby Cin	quefoil
12 to 18 in	.18		
18 to 24 in		.22	
2 to 3 ft	.37	.30	.25
PRUNUS americana, 10'-12'		merica	
2 to 3 ft		.20 .25	
4 to 5 ft	.37	.30	
5 to 6 ft		.45	.25
— besseyi, 10'-12' 18 to 24 in	.37		Cherry .25
2 to 3 ft			
— cerasifera Othello, 12'-15' Oth			
2 to 3 ft			.30
3 to 4 ft.	.60	.50	.40
4 to 5 ft	.75		.50
— — pissardi, 12'-15'	Pur	ple Lea	f Plum
3 to 4 ft	.60	.50	.40
4 to 5 ft		.60	.50
5 to 6 ft	1.10	.95	.75
- glandulosa, 5'-6' Pink & Whi	te Flor	wering A	Almond
15 to 18 in	.18	.15	.12
18 to 24 in		.22	.18
2 to 3 ft		.30	
3 to 4 ft	.52	.45	.35
— maritima, 9'-10'	0.0		h Plum
18 to 24 in		.20	.15
2 to 3 ft 3 to 4 ft		.30	_
		.45	
	-		Cherry
3 to 4 ft		.45	.35
4 to 6 ft		.60	.50
8 to 10 ft		.90 1.00	.70
10 to 12 ft.	1.50	1.00	
— pennsylvanica, 25'-30'	1.50		Cherry
4 to 6 ft	.75	.60	.50
6 to 8 ft.	1.00	.80	.65

PRUNUS—continued		Price in Qu	
commulate 40/ 60/	1-4	5-24	
— serrulata, 40'-60'	0 =0	Oriental	Cnerry
8 to 10 ft	2.50	270	
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	3.20 4.00	2.70 3.25	
	6.00	5.00	
14 to 16 ft., 3 to 4 in		7.50	
- sachalinensis (sargenti) 40'-50		Yama	Cherry
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	
	1.25	1.00	
6 to 8 ft	1.75	1.50	
- subhirtella pendula, 12'-15' W	eepin	ig Japan	Cherry
5 to 6 ft. stems, 1 yr. heads	2.00	1.50	—
5 to 6 ft. stems, 2 yr. heads		2.00	
5 to 6 ft. stems, 3 yr. heads	3.00		
4 to 6 ft. stems, 5 yr. heads, 2 to 2½ in	5.00		
$2\frac{1}{2}$ to 3 in			
$3 \text{ to } 3\frac{1}{2} \text{ in.}$			
— tomentosa, 6'-7'	,,,,	Nanking	Cherry
2 to 3 ft	.45	.37	.30
3 to 4 ft		.50	
4 to 5 ft	.75		
5 to 6 ft		.75	.60
— triloba plena, 7'-8'	oubl	eflowerin	g Plum
18 to 24 in			.20
2 to 3 ft	.45		
3 to 4 ft	.60	.50	.40
JAPANESE CHEF			
Amanogawa (Lann. Amanoga			
3 to 4 ft			
4 to 5 ft	1.50 2.00		
Amayadori, 25'-35'	2.00	1.50	
	2.00		
6 to 8 ft., 1½ to 1½ in	3.00 4.00		
Ichiyo (Serr. Hisakura), 25'-3	Դ.ՍՍ Ո'		
3 to 4 ft	.75	.60	.50
4 to 5 ft			.75
5 to 6 ft	1.50		1.00
10 to 12 ft., 1½ to 2 in	5.00		
12 to 14 in., 2 to 2¼ in			
J. H. Veitch (Serr. Fugenzo)			
3 to 4 ft	.80		
4 to 5 ft	1.00		
5 to 6 ft. 6 to 8 ft, 1½ to 1¾ in	1.20 2.40		
8 to 10 ft., 13/4 to 2 in			
Kanzan (Serr. Sekiyama) Kw			
3 to 4 ft	.80		
4 to 5 ft			
5 to 6 ft			
6 to 8 ft., 13/4 to 2 in.	2.40		
8 to 10 ft., 2 to 2½ in	3.75	3.00	
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.00		
EXTRA CHARGE FOR DIGGING	CH	ERRIES	R & R

EXTRA CHARGE FOR DIGGING CHERRIES B. & B. SEE B. & B. SCHEDULE, PAGE 2

PRUNUS—continued	Unit F	Price in Qua	ntities
	1-4	5-24	
Rosea superba, 30'-40'			e pink
3 to 4 ft	.90	.75	
4 to 5 ft	1.10 1.50	.95 1.25	
6 to 8 ft	2.25	1.25	
	٠.٠٠	1.70	
Ojochin (Lann. Ojochin), 25'			
5 to 6 ft., 1¼ to 1½ in	1.50		
6 to 8 ft., 1½ to 1¾ in	2.50 3.50		
8 to 10 ft., 13/4 to 2 in	3.30		
Serrulata Sekizan, 25'-30'		Double	
3 to 4 ft	.90	.75	.60
4 to 5 ft 5 to 6 ft	1.10 1.50	.95 1.25	.75 1.00
6 to 8 ft	1.90	1.50	1.25
		2.00	1.50
Shirofugen (Serr. Alba-Rosea), 3 to 4 ft	, 25′-3 0 .90	.75	.60
4 to 5 ft	1.10	.75	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft., 1½ to 1½ in,	1.90	1.50	1.25
8 to 10 ft., 1½ to 1¾ in	3.50	3.00	
10 to 12 ft., 13/4 to 2 in	5.00		
Watereri (Lann. Wateriri), 30)′		
8 to 10 ft., 2 to 2 ¹ / ₄ in	4.00		
	5.00		
yedoensis (Yoshino cherry), 3	85′		
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft., 2½ to 2½ in	4.00		
10 to 12 ft., $2\frac{1}{2}$ to 3 in	5.00		
12 to 14 ft., 3 to 3½ in	7.50		
PSEUDOTSUGA douglasi, 70'-80'		Doug	las-fir
18 to 24 in., B. & B	.52	_	.35
2 to 2½ ft., B. & B.	.75	.60	.50
2½ to 3 ft., B. & B	1.10	.95	.75
3 to 4 ft., B. & B	1.50	1.25	
4 to 5 ft., B. & B			1.50 2.75
6 to 8 ft., B. & B.			
8 to 10 ft., B. & B		9.00	7.00
10 to 12 ft., B. & B	15.00	12.50	10.00
Extra broad specimen50%	extra.		
THE TA 4 6.1.4. 00/ 05/	O.		ontuon
PTELIA trifoliata, 20'-25' 3 to 4 ft		mmon Ho	
4 to 5 ft		.50	
5 to 6 ft	.75	.60	
PYRACANTHA coccinea lalandi,			thorn
12 40 19 : 4 :		ında Fire	
12 to 18 in., 4 in. pots		1.25	1.00
2 to 3 ft., 7 in. pots	2.25	1.23	1.50
3 to 4 ft., 8 in. pots	3.00	2.50	2.00

QUERCUS alba, 100'		White	Oak
6 to 8 ft	1.10	.95	.75
8 to 10 ft,	1.50	1.25	1.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.25	1.90	1.50
9 to 11 ft., 1½ to 1¾ in	3.40	2.80	2.25
10 to 12 ft., 13/4 to 2 in	4.50	3.75	3.00
11 to 13 ft., 2 to 2½ in	6.00	5.00	4.00
12 to 14 ft., 2½ to 2½ in	7.50	6.25	5.00
12 to 14 ft., 2½ to 3 in	9.00	7.50	6.00
14 to 16 ft., 3 to 3½ in	10.00	9.00	7.00
— coccinea, 75′-90′		Scarlet	Oak
6 to 8 in	2.25	1.90	1.50
8 to 10 ft	3.40	2.80	2.25
8 to 10 ft., 1½ to 1½ in	4.10	3.50	2.75
10 to 12 ft., 1½ to 1¾ in	5.25	4.40	3.50
10 to 12 ft., 13/4 to 2 in	6.00	5.00	4.00
12 to 14 ft., 2 to 2½ in	7.50	6.25	5.00
12 to 14 ft., 2½ to 2½ in.	10.50	9.00	7.00
14 ft., 2½ to 3 in.	12.00	10.00	



These smaller grades of Red Oak were root pruned in 1939. Here is an opportunity to restock.

NURSERY GROWN OAKS	Unit F	rice in Quar	ntities
-continued	1-4	5-24	_
— macrocarpa, 75'-80'		Mossycu	_
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.	3.00 3.75	2.50 3.00	2.00 2.50
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 12 ft., 13/4 to 2 in	6.00	5.00	
12 to 14 ft., 2 to 2½ in	7.50	6.25	5.00
12 to 14 ft., 2½ to 2½ in	9.00	7.50	
— palustris, 75'-90'	1.10		n Oak
4 to 6 ft	1.10 1.50	.95 1.25	.75 1.00
8 to 10 ft	1.90	1.50	1.25
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.25	1.90	1.50
10 to 12 ft., 1½ to 1¾ in	3.00	2.50	2.00
10 to 12 ft., 13/4 to 2 in	4.10	3.50	2.75
12 to 14 ft., 2 to 2½ in	5.25	4.40	
12 to 14 ft., 2½ to 3 in	6.75	5.50	4.50
14 to 16 ft., 3 to 3½ in		7.50	6.00
14 to 16 ft., 3½ to 4 in	10.00	8.50 Willow	v Oak
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft	3.00	2.50	2.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		3.25	
10 to 12 ft., 1½ to 1¾ in			
10 to 12 ft., 13/4 to 2 in			
12 to 14 ft., 2 to 2½ in			
— robur fastigiata, 35'-50' Py		al Englis	h Oak
5 to 6 ft., B. & B			
6 to 8 ft., B. & B		7.50	
8 to 10 ft., B. & B	12.50	10.00	
— rubra, 75'-90'		mmon Re	d Oak
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft	£2:60	2.20	1.75
8 to 10 ft., 1½ to 1½ in		2.80	2.25
10 to 12 ft., 1½ to 1¾ in		3.75	3.00
10 to 12 ft., 13/4 to 2 in			3.50 4.50
12 to 14 ft., 2½ to 3 in		7.50	
14 to 16 ft., 3 to 3½ in			
— velutina, 75'-90'			k Oak
6 to 8 ft	2.25	1.75	
8 to 10 ft	3.00		
8 to 10 ft., 1½ to 1½ in			
1½ to 1¾ in	4.50	3.50	
RETINOSPORA (See CHAMAEC			
RHAMNUS caroliniana, 30'		olina Buc	kthorn
6 to 8 ft			
8 to 10 ft		mon Buc	kthorn
2 to 3 ft			
3 to 4 ft	37	.30	
4 to 5 ft		.37	
— frangula, 8'-9'		lossy Buc	
2 to 3 ft	.30	.25	
3 to 4 ft			
4 to 5 ft		.50	.40
5 to 6 ft	90	.75	

	Unit	Price in Qua	antities 25-249
RHODODENDRON carolinanum, 4		, ,	<i>LJ-L</i> 17
		Rhodode	
12 to 15 in., B. & B		.95	
18 to 24 in., B. & B			1.75
2 to 2½ ft., B. & B.			2.50
— catawbiense, 6'-9' Cat			
15 to 18 in., B. & B			1.25
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B.			2.50
3 to 3½ ft, B. & B	4.90	4.00	
— maximum, 8'-12' Ros		Rhodode	endron
Nursery Grown, Raised from		00	65
15 to 18 in., B. & B		.80 1.25	.65 1.00
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B			2.00
·			
— mucronulatum, 6' Ko			
15 to 18 in., B. & B	2.00	1.75	
18 to 24 in., B. & B	2.50	2.25	
HYBRID RHODODEN	DRO	NS	
Album elegansBlush-pink. 1	2-15	in., 15-1	l8 in.,
18-24 in., 2-2½ ft., 2½-3 f — Catawbiense grandiflora—Rosy			
15-18 in., $18-24$ in., $2-2\frac{1}{2}$ ft			
— Everestianum—Rosy-lilac. 12-1			
24 in., 2-2½ ft., 2½-3 ft., 3- — President Lincoln—Pink. 12-1		15-18 ii	n 18-
24 in., 2-2½ ft., ½-3 ft., 3			1., 10
- Roseum elegans-Rich pink.			18 in.,
18-24 in., 2-2½ ft., ½-3 ft Roseum superbum—Clear, soft			
2-3 ft., 3-4 ft.	corar-	10se. 16-	24 III.,
ABOVE VARIETIES AT FOLI	Lowi	NG PRIC	CES
12 to 15 in., B. & B	1.50	1.25	1.00
15 to 18 in., B. & B	2.00	1.70	1.35
18 to 24 in., B. & B	3.00 4.00	2.50 3.50	2.00 2.75
2½ to 3 ft., B. & B.	5.25	4.50	3.50
3 to 4 ft., B. & B	6.75		4.50
4 to 5 ft., B. & B	8.00		5.50
— Amphion—Rose-pink. 12-15 in. $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$ ft.	, 15-1	8 in., 18-	24 in.,
- Candidissima—White. 18-24 in	., 2-2	1/2 ft., 21/2	2-3 ft.,
3-4 ft. — Caractacus—Red. 12-15 in., 1	5-18	in., 18-2	24 in.,
$2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$ ft.			
— Catawbiense alba—Clear white, $2-2\frac{1}{2}$ ft., $2\frac{1}{2}$ -3 ft., $3-4$ ft.	15-13	8 in., 18-	24 in.,
—Chas. Bagley—Bright red. 15	5-18 i	in., 18-2	4 in.,
$\frac{2-2\frac{1}{2}}{2}$ ft., $2\frac{1}{2}-3$ ft., $3-4$ ft. — Chas. Dickens—Clear red. 18-2	4 in.,	2-21/2 ft	21/2-3
ft., 3-4 ft.	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12



Rhododendron hybrid variety roseum elegans, grown under ideal conditions.

HYBRID RHODODENDRONS

-continued

Unit Price in Quantities 1-4 5-24 25-249

- Delicatissum—Blush white. 18-24 in., $2-2\frac{1}{2}$ ft., $2-2\frac{1}{2}$ ft., $2-2\frac{1}{2}$ ft.,
- Dr. Dresselhuis—Bright red. 12-15 in., 15-18 in., 18-24 in., 2-2½ ft., 2½-3 ft., 3-4 ft.
- Ignatius Sargent—Deep pink. 12-15 in., 15-18 in., 18-24 in., 2-2½ ft., ½-3 ft., 3-4 ft.
- Kettledrum—Deep red. 18-24 in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$ ft., 3-4 ft.
- Lee's Dark Purple—Dark purple. 18-24 in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}$ -3 ft., 3-4 ft.
- Mrs. C. S. Sargent—Rich crimson. 12-15 in., 15-18 in., 18-24 in., 2-21/2 ft., 21/2-3 ft., 3-4 ft.
- Roseum superbum—Deep pink. 12-15 in., 15-18 in., 18-24 in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$ ft.

ABOVE VARIETIES AT FOLLOWING PRICES

12 to 15 in., B. & B	1.90	1.50	
15 to 18 in., B. & B	2.40	2.00	
18 to 24 in., B. & B.	3.75	3.00	
2 to 2½ ft., B. & B.	4.85	4 00	
2½ to 3 ft., B. & B.	6.00	5.00	
3 to 4 ft., B. &B	7.50	6.00	

Boule de Neige—White.

 $2\frac{1}{2}$ to 3 ft., B. & B.....

12 to 15 in., B. & B.	2.25	1.75	
15 to 18 in., B. & B.	2.75	2.25	
18 to 24 in., B. & B	4.00	3.25	
2 to 2½ ft., B. & B	5.25	4.25	

RHODOTYPOS kerrioides, 4'-5'		White	Kerria
18 to 24 in.	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft.	.40	.30	.25



Nursery grown Rhododendron maximum raised from seed in our propagating department and transplanted to the shade of native woodland oaks. These plants are offered at very reasonable prices.

RHUS—THE SUMACS		Price in Qu 5-24	
RHUS canadensis (aromatica), 4'	·5′ I	Fragrant	Sumac
18 to 24 in		.25	
2 to 3 ft	.45	.37	
3 to 4 ft	.60	.50	.40
— copallina, 12'-13'		Shining	Sumac
15 to 18 in	.22	.20	.15
18 to 24 in.			.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
* — cotinus, 10'-12'	Com	mon Sm	oketree
2 to 3 ft	.60	.50	
3 to 4 ft	.90	.75	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft., special	3.00	2.50	
— glabra, 10'-12'		Smooth	Sumac
2 to 3 ft	.22	.20	.14
3 to 4 ft	.27		
4 to 5 ft		.30	
5 to 6 ft	.52	.45	
6 to 8 ft	.75	.60	.50
— typhina, 15'-18'	\$	Staghorn	Sumac
2 to 3 ft	.22	.18	.14
3 to 4 ft	.27	.22	.18
4 to 5 ft	.37	.30	.25
5 to 6 ft	.52	.45	.35
— typhina laciniata, 14'-15'	S	Shredded	Sumac
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	

	Unit 1-4	Price in Qu 5-24	antities 25-249
ROBINIA hispida, 5'-6'		_	-acacia
18 to 24 in	.22	.20	
2 to 3 ft	.37		.25
3 to 4 ft	.52	.45	
— pseudoacacia, 60'-80'			Locust
4 to 6 ft		· - ·	
6 to 8 ft	.75 1.00	.60 .90	
ROSA blanda, 4'-5'		Meado	w Rose
12 to 18 in	.22		.15
18 to 24 in	.30		
2 to 3 ft.		.37	
— hugonis, 5'-6'			
18 to 24 in	.3/	.30	.25
2 to 3 ft	.52	.45	.35
— lucida, 5'-6'		Virgini	a Rose
12 to 15 in	.15	.12	.10
15 to 18 in	.22	.20	
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
— multiflora, 9'-10'		Japanes	e Rose
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
— nitida, 3'-4'		Bristl	y Rose
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	
— palustris (carolina), 6'-8'		Swam	p Rose
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	
2 to 3 ft	.37	.30	.25
— rubiginosa, 5'-6'		Swe	etbrier
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	
2 to 3 ft	.37	.30	
3 to 4 ft	.45		
— rubrifolia (ferruginea), 5'-6'	22		if Rose
12 to 18 in	.22	.20	
18 to 24 in	. 3 0	.25 .30	.20
2 to 3 ft		ed Rugos	
12 to 18 in	.22	_	.15
18 to 24 in			.20
2 to 3 ft		.30	
— rugosa alba 4'-5'		ite Rugos	
18 to 24 in	.45		
2 to 3 ft	.50		
— setigera, 5'-6'		Prairi	e Rose
18 to 24 in	.25	.20	.15
2 to 3 ft			.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.37	.30

ROSA—continued	Unit 1-4	Price in Q 5-24	uantities 25-249	
— spinosissima, 4'		Scot	ch Rose	
12 to 18 in	.30	.25	.20	
18 to 24 in	.37		·	
2 to 3 ft	.50		.35	
— wichuraiana, white, 10'-12'		Wichuri		
l year2 year			.15	
2 year	.50	.45	.20	
WICHURAIANA H	YBRI	DS		
— Albertine, coppery yellow.				
— American Beauty, carmine.				
— Christine Wright, rose-pink.				
— Dorothy Perkins, shell rose.				
- Dr. Van Fleet, pale-pink.				
- Excelsa, crimson Dorothy Per	kins.			
- Silver Moon, large creamy whi				
18 to 24 in		.22	.18	
2 to 3 ft	.37	.30	.25	
3 to 4 ft	.45	.37	.30	
RUBUS odoratus, 6'	Flow	ering Ra	spberry	
18 to 24 in	.22	_	.15	
2 to 3 ft	.37	.30	.25	
SALISBURIA adiantifolia (See GINKGO)				
SALISBURIA adiantifolia (See G	INK	GO)		
SALISBURIA adiantifolia (See G SALIX babylonica ,50'-60 Baby			Willow	
SALIX babylonica ,50'-60 Baby 4 to 6 ft	on V	Weeping	Willow .45	
SALIX babylonica ,50'-60 Baby 4 to 6 ft	7 lon V .70 .90	Weeping .55 .75	.45 .60	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan	7lon V .70 .90	Weeping .55 .75 Weeping	.45 .60	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft	71on V .70 .90 non V	Weeping .55 .75 Weeping .75	.45 .60 Willow .60	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft	.70 .90 non V .90 1.10 1.50	Veeping .55 .75 Veeping .75 .95	.45 .60 Willow .60 .75	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft	.70 .90 non V .90 1.10 1.50 1.90	Veeping .55 .75 Veeping .75 .95 1.25 1.50	.45 .60 Willow .60 .75 1.00 1.25	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco	.70 .90 non V .90 1.10 1.50 1.90	Veeping .55 .75 Veeping .75 .95 1.25 1.50	.45 .60 Willow .60 .75 1.00 1.25	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salam 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft	.70 .90 non V .90 1.10 1.50 1.90 onsin	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping	.45 .60 Willow .60 .75 1.00 1.25 Willow .45	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salam 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft	.70 .90 non V .90 1.10 1.50 1.90 onsin .70 .90	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salam 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft	.70 .90 non V .90 1.10 1.50 1.90 onsin .70 .90	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75	.45 .60 Willow .60 .75 1.00 1.25 Willow .45	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20'	.70 .90 non V .90 1.10 1.50 1.90 onsin .90 1.35	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft	.70 .90 non V .90 1.10 1.50 1.90 onsin .90 1.35	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft 3 to 4 ft	.70 .90 non V .90 1.10 1.50 1.90 .90 1.35 ropea .22 .30	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft 3 to 4 ft 4 to 5 ft	vion V .70 .90 non V .90 1.10 1.50 1.90 0nsin .70 .90 1.35 ropea .22 .30 .45	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.55 .20 .30	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft 3 to 4 ft	.70 .90 non V .90 1.10 1.50 1.90 .90 1.35 ropea .22 .30	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.5 .20 .30	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	70 .70 .90 .90 1.10 1.50 1.90 .90 1.35 ropea .22 .30 .45 .60 .75	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37 .50	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .15 .20 .30 .40 .50	
## SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salan 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft 5 to 6 ft 6 to 8 ft — incana (rosmarinifolia), 8'-10 18 to 24 in	ropea .22 .30 .45 .30	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37 .50 .60 osemary .25	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.55 .20 .30 .40 .50	
SALIX babylonica ,50'-60 Baby 4 to 6 ft	rlon V .70 .90 non V .90 1.10 1.50 1.90 0nsin .70 .90 1.35 ropea .22 .30 .45 .60 .75	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37 .50 .60 osemary .25	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.55 .20 .30 .40 .50	
SALIX babylonica ,50'-60 Baby 4 to 6 ft	vion V .70 .90 non V .90 1.10 1.50 1.90 1.35 ropea .22 .30 .45 .60 .75 ' R .30	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37 .50 .60 osemary .25 .30 Black	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .155 .20 .30 .40 .50 Willow .20 .25 Willow	
SALIX babylonica ,50'-60 Baby 4 to 6 ft 6 to 8 ft — salamoni, 40'-50' Salam 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft — caprea (bush form), 15'-20' Goat or Eu 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 8 ft — incana (rosmarinifolia), 8'-10 18 to 24 in 2 to 3 ft — nigra, 30'-35' 3 to 4 ft	ropea .22 .30 .45 .60 .75 .7 .37	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37 .50 .60 osemary .25 .30 Black .30	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.5 .20 .30 .40 .50 Willow .25 Willow .25	
SALIX babylonica ,50'-60 Baby 4 to 6 ft	vion V .70 .90 non V .90 1.10 1.50 1.90 1.35 ropea .22 .30 .45 .60 .75 ' R .30	Veeping .55 .75 Veeping .75 .95 1.25 1.50 Weeping .55 .75 1.10 n Pussy .20 .25 .37 .50 .60 osemary .25 .30 Black	.45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .155 .20 .30 .40 .50 Willow .20 .25 Willow	

	Unit	Price in Qu	antities
SALIX—continued	1-4		25-249
— pentandra, 20'-30'		Laurel	Willow
4 to 6 ft			
6 to 8 ft 8 to 10 ft			.60 .75
— vitellina aurea, 30'-40' R			
4 to 6 ft			.50
8 to 10 ft			.75
— britzensis, 30'-40'			Willow
4 to 5 ft			
5 to 6 ft			
— — nova, 30'-40'	, New	Golden	Willow
4 to 6 ft	.70	.55	.45
6 to 8 ft	.90	.75	.60
— pendula, 25'-30' We	eping	Golden	Willow
4 to 6 ft	.70	.55	.45
6 to 8 ft	.90	.75	.60
8 to 10 ft	1.10	.95	.75
SAMBUCUS canadensis, 8'-9'		America	n Elder
18 to 24 in			
2 to 3 ft	.18	.15	.12
3 to 4 ft	.22	.20	.16
4 to 5 ft	.3 3	.27	.22
· · · · · · · · · · · · · · · · · · ·		America	
2 to 3 ft			.14 .18
3 to 4 ft			.18
— — aurea, 8'-9'		Golde	n Elder
18 to 24 in	.15		.10
2 to 3 ft	.22	.20	.15
3 to 4 ft			
4 to 5 ft	.37	.30	.25
SCIADOPITYS verticillata, 50'-75	5′	Umbre	lla Pine
15 to 18 in., B. & B	1.25	1.00	.80
18 to 24 in., B. & B	1.90	1.50	1.25
2 to 2½ ft., B. & B	3.50	3.00	
2/2 to 0 1tt, D. & D		3.33	
SOPHORA japonica, 30'-40'		ese Sch	
2 to 3 ft		.60 .95	.50
3 to 4 ft		1.25	
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft		2.50	
7 to 8 ft	3.75	3.00	
SORBARIA aitchisoni, 4'-5'	Kashr	nir Fals	e-spirea
2 to 3 ft		.25	
3 to 4 ft	.37	.30	.25
4 to 5 ft		.37	.30
5 to 6 ft	.60	.50	.40

	1-4	5-24	25-249
		Price in Qu	
SORBUS americana, 30' An			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
*		in Mount	
4 to 6 ft		• • •	.75
6 to 8 ft			
8 to 10 ft		1.50 2.00	1.25
10 to 12 ft	2.40		~ .
SPIREA alba, 6'-7'		Meadow	
2 to 3 ft			
3 to 4 ft			
4 to 5 ft		.30	
— albiflora (callosa alba), 3'		Japanese	Spirea
15 to 18 in			.12
18 to 24 in			
2 to 2½ ft	.30	.25	.20
— billiardi, 5'-6'		Billiard	Spirea
2 to 3 ft	.20	.18	.14
3 to 4 ft		.22	
4 to 5 ft	.37	.30	.25
— bumalda, 3']	Bumalda	Spirea
15 to 18 in	.18	.15	.12
18 to 24 in	.25	.20	
2 to 2½ ft	.30	.25	.20
— — Anthony Waterer, 3' Ant	thony	Waterer	Spirea
12 to 15 in			
15 to 18 in	.18	.15	
18 to 24 in	.25	.20	.16
2 to 2½ ft		.25	
— latifolia (salicifolia), 4'-5'	Pink	Meadow	Spirea
18 to 24 in		.15	.12
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	.37		
— frobeli, 3'		Frobel	Spirea
18 to 24 in			.12
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$.25	.20	.16
2½ to 3 ft	.30	.25	.20
— margaritae, 5'-6'	N	Iargarita	Spirea
18 to 24 in			.15
2 to 3 ft	.30	.25	
— multiflora		Snow C	
12 to 18 in		.12	
18 to 24 in		.20 .25	
— nipponica rotundifolia, 6'-7'		g Nippon	_
2 to 3 ft		.25 .35	.20
4 to 5 ft		.33 .45	
— opulifolia (See PHYSOCARPU			
- 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10	o opu	Í	
— prunifolia plena 7'-8'			wreath
18 to 24 in	.30	.25	.20
2 to 3 ft	.37 .52	.30 .45	.25
J 10 4 II	.52	.45	.35

			
SPIREA—continued		rice in Qua	
— reevesiana, 7'-8'	1-4	5-24 Reeves	25-249 Spirea
18 to 24 in			_
2 to 3 ft		.15 .22	.12
3 to 4 ft	30		
4 to 5 ft	37	.30	.25
— Fl. Pl. (Lanceata) 7'-8'		Reeves	_
18 to 24 in			.15
2 to 3 ft	30		.20
3 to 4 ft	37	.30	.25
— salicifolia	Wil	lowleaf	Spirea
18 to 24 in	18	.15	
2 to 3 ft	22	.20	.16
3 to 4 ft	30		
sorbifolia (See SORBARIA s	orbifolia	.)	
			~ .
— thunbergi, 4'-5'		unberg	
12 to 18 in	15	.12	
18 to 24 in			•-•
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$.22	
2½ to 3 ft	37	.30	.25
— tomentosa, 8'-4'		Hai	rdhack
18 to 24 in		.15	.12
2 to 3 ft		.20	
3 to 4 ft	30	.25	.20
— trichocarpa, 5'-6'		Korean	Spirea
18 to 24 in		.20	.14
2 to 3 ft		.25	.20
3 to 4 ft			.25
— vanhouttei, 8'-9'	Var	nhoutte	Sniros
18 to 24 in		.10	.08
2 to 3 ft		.15	.12
3 to 4 ft	25		
4 to 5 ft			.20
5 to 6 ft	45	.37	.30
— veitchi		Veitch	Spirea
18 to 24 in		.20	
2 to 3 ft		.25	
3 to 4 ft	37	.30	
STAPHYLEA colchica, 10'-12'	Colel	his Blad	dernut
18 to 24 in			
2 to 3 ft		.50	
3 to 4 ft			
STEPHANANDRA flexuosa, 5'-6'		-	
18 to 24 in			.12
2 to 3 ft	22	.20	.16
3 to 4 ft	37		.25
— tanakae, 6'	Veddo	Stepha	nandro
•			
18 to 24 in		.25	.20
2 to 3 ft		.30	.25
3 10 4 11	45	.37	.30

Unit Price in Quantities 1-4 5-24 25-249				
STYRAX japonica, 12'-15'	Japa	nese Sno	wbell	
2 to 3 ft		.37	.30	
3 to 4 ft		.60	.50	
4 to 6 ft	1.10	.95	.75	
6 to 8 ft	2.10	1.75		
8 to 10 ft	3.00	2.50		
SYMPHORICARPOS chenaulti, 6				
		ult Coral		
18 to 24 in		.12	.10	
2 to 3 ft				
3 to 4 ft	.27	.22	.18	
— mollis, 4'-5'	Spread	ing Snow	berry	
18 to 24 in		.12		
2 to 3 ft		.20		
3 to 4 ft	.30	.25	.20	
— racemosus, 5'-6'		Snow	berry	
18 to 24 in	.15	.12	.10	
2 to 3 ft		.18	.14	
3 to 4 ft	.27	.22	.18	
— vulgaris, 4'-5'		Coral	berry	
18 to 24 in	.15	.12	.10	
2 to 3 ft		.18	.14	
3 to 4 ft	.27	.22	.18	
SYMPLOCUS paniculata, 20'-25'	As	iatic Swe	etleaf	
18 to 24 in	.37	.30	.25	
2 to 3 ft	.52	.45	.35	
3 to 4 ft	.75	.60	.50	
4 to 5 ft		.95	.75	
5 to 6 ft	1.45	1.20		
SYRINGA chinensis (rothomage				
18 to 24 in		.25	.20	
2 to 3 ft			.30	
		.50 Chinese	.40	
18 to 24 in	_	.25	.20	
2 to 3 ft			.30	
3 to 4 ft		.50	.40	
— japonica, 18'-20'	Tanar	nese Tree	Lilaa	
4 to 5 ft	_	.50	.40	
5 to 6 ft		.60	.50	
6 to 8 ft		.95	.75	
8 to 10 ft		1.25	1.00	
— josikaea, 9'-10'	н	ungarian	Lilac	
15 to 18 in		.20	.15	
4 to 5 ft			.15	
5 to 6 ft		.70	.55	
.				

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

	Unit Pri	ce in Quan	tities
SYRINGA—continued	1-4	5-24	25-249
— persica, 9'-10'		Pers'an	Lilac
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	
— alba, 5'-6'	White	Persian	Lilac
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
— villosa, 7'-8'		Late	Lilac
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft		.50	
5 to 6 ft	.75	60	.50
— vulgaris, 12'-15'	Common	Purple	Lilac
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	
3 to 4 ft		.25	
4 to 5 ft	.45	.37	.30
— — alba, 12'-15'	Commo	n White	Lilac
2 to 3 ft	.30	.25	
3 to 4 ft			.30
4 to 5 ft	.60	.50	

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

- Alphonse Lavalle, light purple, double.
- Charles Joly, red-mauve, semi-double.
- Charles Tenth, single, violet red.
- Hugo Koster, pale lilac, single.
- Ludwig Spaeth, reddish-purple, single.
- Marie LeGraye, white, single.
- Michel Buchner, lilac, double.
- Pres. Grevy, blue, double.
- President Poincare, violet double.
- Rubra de Marly, light blue, single.
- Wm. Robinson, violet-pink, double.

18 to 24 in	.50	.40	.35
2 to 3 ft		.50	.45
3 to 4 ft		.65	.55
4 to 5 ft	1.00	.90	
5 to 6 ft	1.35	1.10	

- Adelaide Dunbar, red-mauve, double.
- Belle de Nancy, light violet red, double.
- Bouss'ngault, light purple, double.
- Capt. Baltet, single light violet.
- Capt. Perrault, double, rose mauve.
- Congo, single, dark violet red.
- Edmond Boissier, single, light red mauve.
- Florent Stepman, white, single.
- Katherine Havemeyer, double, light mauve.
- Louvain, light purple, single.
- Mme. Casimir Perier, double, white.
- Mme. F. Morel, light mauve, single.
- Olivier de Serres, double, blush mauve.
- Paul Deschauel, double, light red mauve.

SYRINGA—FRENCH LILACS	Unit F	Unit Price in Quantities			
continued	1-4	5-24	25-249		
— Pres. Lincoln, single, light blu — Reamur, single, violet red.	ie.				
— Vestale, single white.					
18 to 24 in	.50	.45			
2 to 3 ft	.70	.55			
3 to 4 ft	.90	.75			
4 to 5 ft	1.25 1.50	1.00			
TAMARIX africana, 12'-14'	\mathbf{A} :	frican T	amarix		
18 to 24 in	.15	.12	.10		
2 to 3 ft	.20	.18	.14		
3 to 4 ft	.27	.22	.18		
4 to 5 ft	.37	.30	.25		
— gallica, 8'-9'		rench T			
18 to 24 in	.15	.12	.10		
2 to 3 ft	.20 .27	.18 .22	.14 .18		
4 to 5 ft	.37	.30	.25		
— pentandra, 12'-15'	Fivest	amen T			
18 to 24 in	.18	.15	.12		
2 to 3 ft	.25	.20	.16		
3 to 4 ft	.33	.27	.22		
4 to 5 ft	.45	.37	.30		
——————————————————————————————————————					
TAXODIUM distichum, 75'-100'	Commo	on Baldo	ypress		
3 to 4 ft. B. & B	2.25	1.90	1.50		
4 to 5 ft. B. & B.	3.00	2.50	2.00		
5 to 6 ft. B. & B	4.50	3.75	3.00		
6 to 8 ft. B. & B 8 to 10 ft., B. & B	6.00 7.50	5.00 6.00	4.00 5.00		
10 to 12 ft., B. & B.	9.00	7.50			
TAXUS—THE YEWS					
TAXUS baccata, 15 -20'		English Yew			
15 to 18 in., B. & B	.90	.75	.60		
18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.90	.95 1.50	.75		
	2.60	2.20			
3 to 4 ft., B. & B	3.40	2.80			
—— compacta (adpressa erecta)					
Upright St					
18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.50	1.2 5 1.90	1.00 1.50		
2½ to 3 ft., B. & B	3.00	2.50	2.00		
3 to 4 ft., B. & B	4.50	3.75	3.00		
4 to 5 ft., B. & B	5.25	4.50			
—— erecta aurea, 12'-15' Golden Upright Shortleaf Eng. Yew					
18 to 24 in., B. & B		lear Ells	s. rew		
	3.25				
2½ to 3 ft., B. & B	4.50				
هن					
EXTRA CHARGE FOR DIGGING LILACS, B. & B. SEE B. & B. SCHEDULE, PAGE 2					

	11 to D		***
TAXUS—continued	Unit Price in Quantities 1-4 5-24 25-249		
TAXUS—continued	1-4		
— — fastigiata, 10'		Irish	
12 to 15 in., B. & B	1.10	.95	
— repandens, 18"-24" Sp	reading	English	Yew
12 to 15 in., B. & B	. 1.10	.95	.75
15 to 18 in., B. & B	1.90	1.50 2.20	1.25 1.75
18 to 24 in., B. & B	2.60 3.40	2.20	
2 to 2½ ft., B. & B	4.50	3.75	3.00
3 to 4 ft., B. & B	. 7.50	6.00	
— tardiva, 15'			
12 to 15 in., B. & B		.95	.75
15 to 18 in., B. & B	1.50	1.25	
18 to 24 in., B. & B		1.90	1.50 2.00
2 to 2½ ft., B. & B		2.50 3.50	
2½ to 3 ft., B. & B	, 4.00	Canada	
— canadensis, 2'-21/2'	75	.60	.50
12 to 15 in., B. & B	. 1.25	1.00	.50
18 to 24 in., B. & B	4 0 0	1.50	
— cuspidata, 10'-15' Sp		Japanese	Yew
12 to 15 in., B. & B			.50
15 to 18 in., B. & B	. 1.10	.95	.75
18 to 24 in., B. & B	0.00	1.50	1.25
2 to 2½ ft., B. & B		2.20 3.25	1.75 2.75
2½ to 3 ft., B. & B		4.50	3.75
3½ to 4 ft., B. & B		6.00	5.00
4 to 5 ft., B. & B	. 10.00	8.00	7.00
5 to 6 ft., B. & B	. 15.00	12.50	
Sheared specimens in larger s	izes 50%	additiona	tl.
— — browni, 10'-15'		a ==	
12 to 15 in., B. & B	1.10	.95	.75 1.25
15 to 18 in., B. & B		1.50	
	pag par	Japanese	
12 to 15 in., B. & B	4 4 ^	.60 .95	.50 .75
15 to 18 in., B. & B		1.50	1.25
2 to 2½ ft., B. & B	0.05	1.90	1.50
2½ to 3 ft., B. & B	3.00	2.50	2.00
3 to 3½ ft., B. & B	4.10	3.50	2.75
3½ to 4 ft., B. & B	. 5.25	4.4 0 5.5 0	3.50 4.50
4 to 5 ft., B. & B 5 to 6 ft., B. & B	10.00	8.00	
·			
——————————————————————————————————————		.60	.50
12 to 15 in., B. & B 15 to 18 in., B. & B		.95	.75
18 to 24 in., B. & B		1.50	
— — hicksi, 20'-25'		Hicks	
15 to 18 in., B. & B		.95	.75
18 to 24 in., B. & B	A (A	1.50 2.20	1.25 1.75
2 to 2½ ft., B. & B 2½ to 3 ft., B. & B	~ = =	3.00	2.50
3 to 4 ft., B. & B	4.00	4.00	3.25

X

WE SPECIALIZE IN GROWING SHADE TREES. SEE LISTING OF MAPLES, PAGES 4, 5, 6, 7.

TAXUS—continued	Unit P 1-4	rice in Quan 5-24 2	
— — nana (brevifolia), 2'-3'	Dwarf	Japanese	Yew
9 to 12 in., B. & B		.60	.50
12 to 15 in., B. & B		1.25	1.00
15 to 18 in., B. & B		1.90	1.50
18 to 24 in. B. & B.	3.40	2.80	2.25
2 to 2½ ft. B. & B		4.40	3.50
$2\frac{1}{2}$ to 3 ft. B. & B		5.50	J.50
3 to 3½ ft. B. & B		7.00	
— — thayeri, 6'-8'		Thayers	Yew
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in. B. & B	1.50	1.25	1.00
18 to 24 in. B. & B		1.90	1.50
2 to 2½ ft. B. & B		2.80	2.25
2½ to 3 ft., B. & B		3.75	3.00
— hatfieldi, 8'-10'		Hatfield	Yew
12 to 15 in., B. & B	.75	.60	.50
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.90	1.50	1.25
2 to 2½ ft., B. & B	2.60	2.20	1.75
2½ to 3 ft., B. & B	3.75	3.00	2.50
3 to 4 ft., B. & B	5.25	4.40	3.50
— — ovata			
12 to 15 in., B. & B.	.75	.60	.50
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B		1.50	1.25
— intermedia, 12'-15'		Hybrid	Yew
12 to 15 in. B. & B	1.10	.95	.75
15 to 18 in. B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.50	3.00	
THUJA occidentalis, 15'-30'	Americ	an Arbor	vitae
2 to 3 ft., B. & B	1.10	.95	.75
3 to 4 ft., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B.	2.25	1.90	1.50
5 to 6 ft., B. & B	3.00	2.50	2.00
6 to 8 ft., B. & B	4.10	3.50	2.75
8 to 10 ft., B. & B	6.75	5.50	4.50
10 to 12 ft., B. & B.	9.00	7.50	6 00



Thuja occidentalis pyramidalis 3 to 4 ft. and 4 to 5 ft.

	Unit Pr	ice in Quar	ntities
THUJA—continued	1-4	5-24	25-249
compacts 21/1-41		ns Arbo	
—— compacta, 2½'-4'			
12 to 15 in., B. & B	.60	.50	.40 .60
15 to 18 in., B. & B	.90	.75 .95	.75
18 to 24 in., B. & B	1.10	1.25	1.00
2 to 2½ ft., B. & B	1.50 1.90	1.23	1.25
2½ to 3 ft., B. & B	2.25		
3 to 3½ ft., B. & B	2.23	1.90	1.50
— — douglasi aurea, 10'-15'			
	s Gold	en Arbo	rvitae
3 to 4 ft., B. & B	4 0 0	1.10	
4 to 5 ft., B. & B		1.35	
5 to 6 ft., B. & B			
6 to 8 ft., B. & B	3.75	3.00	
— elegantissima, 10'-15' Gol		ned Arho	rvitae
		.95	.75
2 to 3 ft., B. & B	1.50	1.25	1.00
3 to 4 ft., B. & B	2.25		1.50
· · · · · · · · · · · · · · · · · · ·	3.40		2.25
0 00 0 111, 21 0 21	5.25		3.50
6 to 7 ft., B. & B	7.50	6.25	5.00
•			
—— ellwangeriana, 4'-6' Tor			1 VICAC
	.75 .90		
18 to 24 in., B. & B			
			mrzitoo
—— globosa, 3'-4'		be Arbo	
12 to 15 in., B. & B	.70		.45
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B.	1.20	1.00	.80
2 to 2½ ft., B. & B		1.25	1.00 1.25
2½ to 3 ft., B. & B		1.50	
— — hoveyi, 3'-4'	Но	vey Arbo	
12 to 15 in., B. & B	.60	.50	.40
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	1.50		
2½ to 3 ft., B. & B	1.90	1.50	1.25
3 to 3½ ft., B. & B	2.25	1.90	1.50
—— lutea, 10'-15' George	Peabo	ody Arbo	orvitae
2 to 2 ½ ft., B. & B	.95	.75	.65
2½ to 3 ft., B. & B		1.00	.80
3 to 4 ft., B. & B	1.65		
4 to 5 ft., B. & B		2.20	1.75
5 to 6 ft., B. & B		3.00	2.50
6 to 7 ft., B. & B	4.90	4.00	3.25
— — plicata, 10'-12'	N	loss Arb	orvitae
2 to 3 ft., B. & B	1.10	.95	.75
3 to 4 ft., B. & B	1.50	1.25	1.00
4 to 5 ft., B. & B	2.60	2.20	1.75
5 to 6 ft., B. & B	3.75	3.00	2.50
6 to 7 ft., B. & B	4.90	4.00	3.25
7 to 8 ft., B. & B	6.35		
8 to 10 ft., B. & B	9.00	7.50	6.00
♣			

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

	Unit F	Price in Qu	antities
THUJA—continued	1-4	-	25-249
— — pyramidalis, 15'-30'	Pyram	idal Arb	orvitae
18 to 24 in			
2 to 3 ft. B. & B	. 1.50	1.25	1.00
3 to 4 ft. B. & B			
4 to 5 ft., B. & B		2.50	
5 to 6 ft., B. & B		3.5 0	2.75
6 to 7 ft., B. & B	5.25 7.15	4.40 5.85	3.30 4.75
8 to 10 ft., B. & B	9.00	7.50	6.00
10 to 11 ft., B. & B.			8.00
— — rosenthali, 6'-10'	Roseni	thal Arb	orvitae
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B.	. 2.60	2.20	1.75
4 to 5 ft., B. & B			
5 to 6 ft., B. & B	. 4.50	3.75	3.00
— — umbraculifera, 2'-3'	Umbr	ella Arb	orvitae
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
$2\frac{1}{2}$ to 3 ft., B. & B	. 1.90	1.50	1.25
— vervaeneana, 8'-12'			
2 to 2½ ft., B. & B	. 1.00	.80	.65
2½ to 3 ft., B. & B	. 1.35	1.10	.90
3 to 4 ft., B. & B	. 1.90	1.50	
5 to 6 ft., B. & B	· 2.25	1.90 3.00	1.50 2.00
——————————————————————————————————————			orvitae
4 to 5 ft. B. & B.	· 1.80	1.50 2.00	
5 to 6 ft. B. & B	3.75	3.00	
— occidentalis wareana, 12'-15' 18 to 24 in. B. & B	75	rian Arbo	
2 to 2½ ft. B. & B.	. 1.10		.50 .75
2½ to 3 ft. B. & B	. 1.50	1.25	1.00
3 to 4 ft. B. & B	. 2.25	1.90	1.50
4 to 5 ft. B. & B	. 3.75	3.00	2.50
BIOTA or CHINESE AI			
- orientalis (Biota), 20'-25'		ital Arbo	orvitae
2 to 3 ft., B. & B	. 1.10	.95	.75
3 to 4 ft. B. & B	1.50	1.25	1.00
5 to 6 ft. B. & B	3.00	1.90 2.50	1.50 2.00
6 to 7 ft., B. & B.	4.10	3.50	2.75
7 to 8 ft., B. & B	5.25	4.40	
— — aurea conspicua (Biota),	7'-8'		
(22000),		ire Arbo	orvitae
18 to 24 in., B. & B.	.90	75	.60
2 to 2½ ft., B. & B	1.20	1.00	.80
$2\frac{1}{2}$ to 3 ft., B. & B	1.90		1.25
3 to 4 ft., B. & B	2.00	2.50	-
4 to 5 ft., B. & B		3.00	
5 to 6 ft., B. & B	4.25		

PRINTER A	Unit	Price in Qu	antities
THUJA—continued	1-4		
— — nana (Biota), $2\frac{1}{2}$ '-3'	~ Ca	1 d a At.	:4
Berckman 12 to 15 in., B. & B	.90	iden Arb .75	
15 to 18 in., B. & B	1.20		.60
18 to 24 in. B. & B	1.90	1.50	1.25
2 to 2½ ft., B. & B		2.50	
2½ to 3 ft., B. & B	3.75	3.00 4.00	
—— compacta (Biota), 3'-4'		bold Arb	orvitae
18 to 24 in., B. & B.	.90		
2 to 2½ ft., B. & B	1.65		
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B		3.00	
— orientalis elegantissima (Biota			
	* *	umn Arb	orvitae
18 to 24 in., B. & B		.75	.60
2 to 2½ ft., B. & B	1.10	.95	.75
2½ to 3 ft., B. & B		1.50	1.25
3 to 4 ft., B. & B			1.75
5 to 6 ft., B. & B			
6 to 7 ft., B. & B	5.25	4.40	
TWO ARBORVITAE THAT A	RE I	TRREER	ent.
		iant Arb	
— plicata atrovirens (lobbi), 100 2 to 3 ft. B. & B			or vitae
3 to 4 ft. B. & B			
4 to 5 ft. B. & B	2.50	2.00	
5 to 6 ft. B. & B			
6 to 7 ft., B. & B			
		lish Arb	orvitae
2 to 2½ ft., B. & B	1.10	.90	
2½ to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B			
4 to 5 ft., B. & B			
- C C C 23, 27 C 2	0.00	2.00	
TILIA—THE LINI	DENS		
TILIA americana, 75'-90'	A	merican	Linden
6 to 8 ft	1.20	1.00	
8 to 10 ft., 1½ to 1½ in			1.00
10 to 12 ft., 1½ to 1¾ in	2.50	1.70 2.05	
12 to 14 ft., 2 to $2\frac{1}{4}$ in	3.00	2.50	
12 to 14 ft., 2½ to 2½ in	3.75	3.00	2.50
14 to 16 tt., 2½ to 3 in	4.25	3.50 4.50	
— cordata, 70' Littlele	af E	uronean	Linden
6 to 8 ft			1.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		1.90	1.50
8 to 10 ft., 1½ to 1¾ in	2.60	2.20	1.75
10 to 11 ft., 13/4 to 2 in	3.00	2.50 2.80	2.00 2.25
10 to 12 ft., 2 to 2½ in	4.10	3.50	2.25
12 to 14 ft., $2\frac{1}{2}$ to 3 in	5.25	4.40	3.50
12 to 14 ft., 3 to 3½ in	6.75	5.50	4.50

TILIA—continued	Unit 1-4	Price in Qu 5-24	uantities 25-249
— neglecta, 60'-75'		Gray	Linden
8 to 10 ft., 1½ to 1¾ in	2.75	2.25	
9 to 10 ft., 13/4 to 2 in	3.25	2.75	
10 to 11 ft., 2 to 2½ in	3.75	3.25	
10 to 12 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	4.50	3.75	
12 to 14 ft., 2½ to 3 in	5.00	3.50	
12 to 14 ft. 3 to 3½ in	6.00	5.00	
— petiolaris, 40'-60'	v	Veeping	Linden
8 to 10 ft	1.50	1.25	1.00
8 to 10 ft. 1¼ to 1½ in	2.25	1.90	1.50
10 to 11 ft., 1½ to 1¾ in	3.00	2.50	2.00
10 to 12 ft., 13/4 to 2 in	3.75	3.00	2.50
10 to 12 ft., 2 to 2½ in	5.25	4.40	3.50
12 to 14 ft., $2\frac{1}{2}$ to 3 in	7.50	6.25	5.00



Tilia cordata—Offering an excellent stock at very reasonable prices.

This is one of our finest shade trees.

and the second s		Price in Qu	
TILIA—continued		5-24	
	4	uropean	
6 to 8 ft	1.50 1.90	1.25 1.50	1.00 1.25
8 to 10 ft., 1½ to 1¾ in	2.25		
8 to 10 ft., 13/4 to 2 in			
10 to 12 ft 2 to 2½ in	3.00		
10 to 12 ft., 2½ to 2½ in			2.50
12 to 14 ft., 2½ to 3 in			
1 2to 14 ft. 3 to 3½ in			Linden
6 to 8 ft		1.25	1.00
8 to 10 ft., 1½ to ½ in		1.90	1.50
9 to 10 ft., 1½ to 1¾ in			
10 to 11 ft., 13/4 to 2 in			
10 to 12 ft., 2 to 2½ in			
10 to 12 ft., 2½ to 2½ in			
12 to 14 ft., 3 to 3½ in		7.50	
— vulgaris, 70'-90'		uropean	Linden
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00		
8 to 10 ft. 1 ¹ / ₄ to 1 ¹ / ₂ in			
10 to 12 ft., 1½ to 1¾ in	3.00		
10 to 12 ft., 13/4 to 2 in			2.35 2.85
11 to 13 ft., 2 to 2½ in			
13 to 14 ft., 2½ to 3 in	6.00	5.00	
THE HEMLOC TSUGA canadensis, 75'-90'		anada F	Iamlock
18 to 24 in., B. & B		.95	.75
2 to 3 ft., B. & B			
3 to 4 II., B. & B	2.60	2.20	1.75
3 to 4 ft., B. & B	3.75	3.00	2.50
4 to 5 ft., B. & B	3.75 5.25	3.00 4.40	2.50 3.50
4 to 5 ft., B. & B	3.75 5.25 6.75	3.00 4.40 5.50	2.50 3.50 4.50
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50	3.00 4.40 5.50 7.00	2.50 3.50
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00	3.00 4.40 5.50 7.00 9.50	2.50 3.50 4.50
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00	3.00 4.40 5.50 7.00 9.50 Yeeping H	2.50 3.50 4.50
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00 W	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. — pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft. B. & B. caroliniana, 50'-60'	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. — pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. caroliniana, 50'-60' 18 to 24 in., B. & B.	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. — pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft. B. & B. caroliniana, 50'-60' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 4 to 2½ ft., B. & B. 5 to 2½ ft., B. & B. 6 to 7 ft., B. & B. 8 to 9 ft., B. & B. 9 to 2½ ft., B. & B. 10 to 2½ ft., B. & B. 11 to 3 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft. B. & B.	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. ——diversifolia, 30'-40'	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. ——diversifolia, 30'-40' 15 to 18 in., B. & B.	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25 Ja 1.50	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F 1.25	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft. B. & B. caroliniana, 50'-60' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. ——diversifolia, 30'-40' 15 to 18 in., B. & B. 18 to 24 in., B. & B.	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25 Ja 1.50 2.25	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F 1.25 1.90	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. ——diversifolia, 30'-40' 15 to 18 in., B. & B.	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25 Ja 1.50 2.25 3.00	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F 1.25 1.90 2.50	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 4 to 2¼ ft., B. & B. 2 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -—diversifolia, 30'-40' 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. -—sieboldi, 40'-50'	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25 Ja 1.50 2.25 3.00	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F 1.25 1.90 2.50 Siebold F	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25 Ja 1.50 2.25 3.00	3.00 4.40 5.50 7.00 9.50 Teeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F 1.25 1.90 2.50 Siebold F	2.50 3.50 4.50 ————————————————————————————————————
4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. ——pendula, 8'-10' 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft. B. & B. 2 to 2½ ft., B. & B. 4 to 2¼ ft., B. & B. 2 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -—diversifolia, 30'-40' 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. -—sieboldi, 40'-50'	3.75 5.25 6.75 8.50 11.00 W 2.40 3.75 5.00 7.50 Ca 1.10 1.50 2.25 2.60 3.75 5.25 Ja 1.50 2.25 3.00	3.00 4.40 5.50 7.00 9.50 Yeeping F 2.00 3.00 4.00 6.00 arolina F .95 1.25 1.90 2.20 3.00 4.40 panese F 1.25 1.90 2.50 Siebold F	2.50 3.50 4.50 ————————————————————————————————————

{ U }	Unit	Price in Quan 5-24 2	
ULMUS americana, 80'-100'		American	
6 to 8 ft	.75	.60	.50
8 to 10 ft	.90	.75	.60
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.00	.90	.70
9 to 11 ft., 1½ to 1¾ in	1.50	1.25	1.00
10 to 12 ft., 13/4 to 2 in	2.25	1.90	1.50
11 to 12 ft., 2 to 2½ in	3.00	2.50	2.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.75 5.25	3.00 4.40	2.50 3.50
12 to 14 ft., 2½ to 3 in	6.75	5.50	4.50
14 to 16 ft., 3½ to 4 in		7.00	
16 to 18 ft., 4 to 4½ in		9.00	
18 to 20 ft., 4½ to 5 in		12.00	
— — Moline, 80'-100'		Moline	Elm
6 to 8 ft	1.00	.90	.70
8 to 10 ft	1.35	1.10	.90
8 to 10 ft., 1½ to 1½ in	1.90		1.25
10 to 12 ft., 1½ to 1¾ in	2.60 3.40	2.20 2.80	1.75. 2.25
10 to 12 ft., 13/4 to 2 in	5.00	4.00	2.25
11 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.00		-
13 to 14 ft., $2\frac{1}{2}$ to 3 in	7.50	6.00	
—— "Princeton," 80'-100'		Princeton	Elm
6 to 8 ft	1.00	.80	.65
8 to 10 ft		1.10	
8 to 10 ft 1 ¹ / ₄ to 1 ¹ / ₂ in	1.90	1.50	1.25
10 to 12 ft., 1½ to 1½ in		2.00 2.50	1.65 2.00
12 to 14 ft., 13/4 to 2 in		3.00	2.50
— - Vase shape, 60'-75' Vase S	haped	American	Elm
10 to 12 ft., 1½ to 1¾ in	1.90	1.65	
10 to 12 ft., 13/4 to 2 in	2.40	2.00	
11 to 12 ft., 2 to 2½ in	3.00	2.50	
12 to 14 ft., 2½ to 2½ in	4.90	4.00	
12 to 14 ft., 2½ to 3 in	6.00		
14 to 16 ft., 3 in	8.00	6.50	•
— pumila, 50'-75'	75	Chinese	Elm
5 to 6 ft	.75 .95	.60 .75	
6 to 8 ft	1.25	1.00	
8 to 10 ft., 1½ to 1½ in	1.50	1.30	
10 to 12 ft., 1½ to 1¾ in	2.00		
10 to 12 ft., 13/4 to 2 in	3.00		
11 to 13 ft., 2 to 2 ¹ / ₄ in	4.00		
-(X7)			

VIBURNUM americanum (oxycoccos), 8'-9'

	American	Cranberry	bush
18 to 24 in		.25	.20
2 to 3 ft			.25
3 to 4 ft		.37	.30
4 to 5 ft		.50	.40
5 to 6 ft		.60	.50
6 to 7 ft		.75	.60

	Unit	Price in Qu	antities
VIBURNUM—continued	1-4	-	25-249
— cassinoides, 5'-6'		Wi	the-rod
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.10	.95	.75
— dentatum, 10'-12'		Arro	owhead
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	
4 to 5 ft.	.52	.45	.35
5 to 6 ft	.70	.55	.45
6 to 7 ft	.75	.60	.50
— dilatatum, 8'-9'	Li	nden Vib	urnum
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
— lantana, 15'-18'		Wayfari	ng-tree
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	
3 to 4 ft	.37	.30	.25
4 to 5 ft		.45	.35
5 to 6 ft	.70	.55	.45
— lentago, 18'-20'		Nann	yberry
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	1.90	1.50	1.25



Viburnum plicatum as grown at Princeton. All of these shrubs are cut back after transplanting.

VIBURNUM—continued	1-4		25-249
— molle, 10'-12'	Kentı	icky Vibi	ırnum
18 to 24 in		.20	.15
2 to 3 ft	30	.25	•
3 to 4 ft		.30	.25
4 to 5 ft		.45	
5 to 6 ft	0 =	.55	
6 to 7 tt		.70	.55
— opulus, 9'-10' Eur		Cranberr .20	rybush .15
12 to 18 in		.25	
2 to 3 ft		.30	
3 to 4 ft		.45	.35
4 to 5 ft		.55	.45
5 to 6 ft		.70	.55
— opulus nanum, 18"-24"		Cranber	rybush
4 to 6 in		.20	.15
6 to 9 in	·		.20
9 to 12 in		.37	.30
— sterile, 9'-10'	Cor	nmon Sn	
12 to 18 in		.20	.15
18 to 24 in		.25	
2 to 3 ft		.30	
3 to 4 ft			.30 .40
4 to 5 ft	60	.50	
— prunifolium, 10'-12'			ckhaw
18 to 24 in		.55	
2 to 2½ ft	90	.75	.60 .75
2½ to 3 ft	1.10	.95 1.20	
3 to 4 ft	1.43		
- rhytidophyllum, 6'-8'			
15 to 18 in. B. & B			.35
18 to 24 in. B. & B			
2 to 2½ ft., B. & B			.75
2½ to 3 ft., B. & B	1.50	1.25	1.00
— sieboldi (japonicum), 9'-10'		ebold Vib	
18 to 24 in		.25	.20
2 to 3 ft			
3 to 4 ft	Ann A		.45
— tomentosum, 7'-8'		olefile Vib	
18 to 24 in	27	.22	.16
2 to 3 ft	30		
3 to 4 ft		.37	
4 to 5 ft	-	.50	.40
5 to 6 ft		.60 panese Si	.50
— — plicatum, 7'-8' 18 to 24 in			
2 to 3 ft			
3 to 4 ft		.50	
4 to 5 ft			
5 to 6 ft	~ ^		.60
— wrighti, 7'-8'		right Vil	burnum
2 to 3 ft	45		
3 to 4 ft	60		.40
4 to 5 ft	75		.50
5 to 6 ft			.75
6 to 8 ft	1.50	1.25	

18 to 24 in	.12	Myrtle
VITEX agnus-castus, 4'-5' 18 to 24 in	Cha	.09
18 to 24 in	.20	
2 to 3 ft		ste-tree
— macrophylla, 3'-4' Large leaved Lilac 12 to 18 in	.25	.15
12 to 18 in		_
18 to 24 in	Cha	ste-tree
2 to 3 ft	.12	.10
3 to 4 ft	.20	_
	.25	.20
WEIGELA amabilis, 7'-8' 18 to 24 in	.00	.25
18 to 24 in		
2 to 3 ft	se V	Weigela
2 to 3 ft	.12	.10
	.18	.14
3 to 4 ft	.23	
4 to 5 ft	.27	.24
** *		.30 Weigela
18 to 24 in	.12	_
2 to 3 ft	.12	.10
3 to 4 ft	.22	.13
4 to 5 ft	.27	.24
5 to 6 ft	.37	.30
6 to 7 ft	.50	.40
- Eva Rathke, 4'-5' Redflowere		Veigela
12 to 18 in	.15	.12
18 to 24 in	.22	.18
2 to 3 ft	.27	.22
		.50 Veigela
18 to 24 in		
2 to 3 ft		11)
3 to 4 ft	.12	.10
4 to 5 ft		.10 .14 .18



WEIGELAS

This cut shows the bushy character of the shrubs offered on this page.

	Unit Pr	rice in Qua	ntities
WEIGELIA—continued	1-4	5-24	
	riegated	Leaf W	eigela
18 to 24 in	15	.12	.10
2 to 3 ft.	22	.18	
3 to 4 ft		.22	
4 to 5 ft.		.27	.24
5 to 6 ft	45		
— rosea, 7'-8'		Pink W	
18 to 24 in	00	.12	.10
2 to 3 ft		.18 .22	
3 to 4 ft	35	.27	
5 to 6 ft		.37	.30
WEIGELA HYBRIDS			
— Feerie, deep rose			
— Profusion, reddish			
- Richesse, deep pink			
18 to 24 in		.12	.10
2 to 3 ft		.18	.15
3 to 4 ft	4 100	.25 .37	.30
4 to 5 ft	1		
WISTERIA multijuga, 35'-50'			isteria
18 to 24 in., grafts	40	.35	
2 to 3 ft., grafts		1.00	
5 to 6 ft., grafts	1.25	1.50	
6 to 8 ft., grafts			
—— alba, 35'-50'			isteria
18 to 24 in., grafts	50 60	.40 .50	
2 to 3 ft., grafts	0.0	.75	
3 to 4 ft., grafts	1 05		
- sinensis blue, 35'-50' (grafte	d) Cl	ninese W	'isteria
2 to 3 ft., 2 yr. grafts	35	.30	.25
3 to 4 ft., 3 yr. grafts	52	.45	
4 to 5 ft., 4 yr. grafts			
5 to 6 ft., 5 yr. grafts	1.10	1.25	20
6 to 8 it., 5 yr. grafts			
	hite We		
2 to 3 ft., 2 yr. grafts	45	.37	.30
3 to 4 ft., 3 yr. grafts			
4 to 5 ft., 4 yr. grafts 5 to 6 ft., 5 yr. grafts			
6 to 8 ft., 5 yr. grafts	4 50		
) sam		
YUCCA filamentosa, 2'-3'		Adams	
2 year		.20	
3 year		.25	
4 year	35	.30	.43
	· Ber		
ZANTHORHIZA apiifolia, 2'-3'		Yel	lowroot
8 to 12 in		.15	.12
12 to 15 in		.20	.15

MEMORANDUM

How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE
PRINCETON
1776

